

APPENDIX R: Traffic Noise



DEIS Reasonable Alternatives Traffic Noise Analysis Technical Report

Spur 399 Extension
(CSJ 0364-04-051, 0047-05-058, 0047-10-002)

Texas Department of Transportation, Dallas District, Collin County
May 2022 Amended

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried-out by TxDOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated December 9, 2019, and executed by FHWA and TxDOT.

Table of Contents

Introduction 1

Analysis 3

Validation..... 3

Results 3

Abatement Analysis 18

 Feasible and Reasonable Barriers..... 22

Statement of Likelihood..... 22

Noise Contours for Land Use Planning 22

Construction Noise 23

Local Official Notification and Date of Public Knowledge Statement 23

List of Attachments..... 23

 Attachment A – Map Figures

 Attachment B – Traffic Data

 Attachment C – Existing Model Validation Study

TxDOT proposes to upgrade and extend Spur 399 in McKinney, Texas between US 75 and US 380. The Spur 399 Extension would be an eight-lane, access-controlled freeway with one-way frontage roads on each side within an anticipated right-of-way (ROW) width of between 165 and 696 feet (ft), with an average of 400 ft, depending on location. Frontage roads may be eliminated, and the primary travel lanes may be elevated (on bridge/viaduct) in some locations. In this analysis, the existing year is 2021 and the design year is 2050. The freeway facility would also include ramps, direct connector roadways, frontage roads, and arterial roadways to support connectivity to the existing roadway network. Grade-separated interchanges would be constructed at major crossroads including US Highway (US) 75 / State Highway (SH) 5 and existing US 380. The project area is approximately 919.54 acres (ac), extends approximately 13.24 miles, and intersects 174 parcels. Permanent and temporary easements are included in project schematic plans.

The range of alternatives under consideration includes the No-Build Alternative and two build alternatives on new location that share a common segment connecting to existing Spur 399 at US 75.

The Purple Alternative is a section of the TxDOT Recommended Alignment from the *US 380 Collin County Feasibility Study*, primarily on new location west of the McKinney National Airport (Airport) connecting existing Spur 399 and US 75 with US 380.

The Orange Alternative is also primarily on new location south and east of the Airport, connecting existing Spur 399 and US 75 with US 380.

Introduction

This analysis was accomplished in accordance with TxDOT's (FHWA-approved) Traffic Noise Policy (2019).

Sound from highway traffic is generated primarily from a vehicle's tires, engine, and exhaust. It is commonly measured in decibels and is expressed as "dB."

Sound occurs over a wide range of frequencies. However, not all frequencies are detectable by the human ear; therefore, an adjustment is made to the high and low frequencies to approximate the way an average person hears traffic sounds. This adjustment is called A-weighting and is expressed as "dB(A)."

Because traffic sound levels are never constant due to the changing number, type, and speed of vehicles, a single value is used to represent the average or equivalent sound level and is expressed as "Leq."

The traffic noise analysis typically includes the following elements:

- Identification of land use activity areas that might be impacted by traffic noise.
- Determination of existing noise levels.
- Prediction of future noise levels.
- Identification of possible noise impacts.
- Consideration and evaluation of measures to reduce noise impacts.

The FHWA has established the following Noise Abatement Criteria (NAC) shown in **Table 1**, for various land use activity areas that are used as one of two means to determine when a traffic noise impact would occur.

Table 1: FHWA Noise Abatement Criteria (NAC)

Activity Category	FHWA (dB(A) Leq)	Description of Land Use Activity Areas
A	57 (exterior)	Lands on which serenity and quiet are of extra-ordinary significance and serve an important public need and where the preservation of those qualities is essential if the area is to continue to serve its intended purpose.
B ¹	67 (exterior)	Residential
C	67 (exterior)	Active sport areas, amphitheaters, auditoriums, campgrounds, cemeteries, day care centers, hospitals, libraries, medical facilities, parks, picnic areas, places of worship, playgrounds, public meeting rooms, public or nonprofit institutional structures, radio studios, recording studios, recreation areas, Section 4(f) sites, schools, television studios, trails, and trail crossings
D	52 (interior)	Auditoriums, day care centers, hospitals, libraries, medical facilities, places of worship, public meeting rooms, public or nonprofit institutional structures, radio studios, recording studios, schools, and television studios
E	72 (exterior)	Hotels, motels, offices, restaurants/bars, and other developed lands, properties, or activities not included in A-D or F.
F	–	Agricultural, airports, bus yards, emergency services, industrial, logging, maintenance facilities, manufacturing, mining, rail yards, retail facilities, shipyards, utilities (water resources, water treatment, electrical), and warehousing.
G	–	Undeveloped lands that are not permitted.

Source: *Guidelines for Analysis and Abatement of Roadway Traffic Noise* (TxDOT 2019)

A noise impact occurs when either the absolute or relative criterion is met:

Absolute criterion - The predicted noise level at a receptor approaches, equals, or exceeds the NAC. "Approach" is defined as one dB(A) below the NAC. For example: a noise impact would occur at a Category B residence if the noise level is predicted to be 66 dB(A) or above.

Relative criterion - The predicted noise level substantially exceeds the existing noise level at a receptor even though the predicted noise level does not approach, equal or exceed the NAC. "Substantially exceeds" is defined as more than 10 dB(A). For example: a noise impact would occur at a Category B residence if the existing level is 54 dB(A) and the predicted level is 65 dB(A).

When a traffic noise impact occurs, noise abatement measures must be considered. A noise abatement measure is any positive action taken to reduce the impact of traffic noise on an activity area.

¹ As of Oct 1, 2021, Category B receptors include permitted new residential development for Meridian at Southgate and NewGrowth McKinney. Development permits issued after Oct 1, 2021, were not included in the analysis.

Analysis

The FHWA traffic noise modeling software (TNM 2.5) was used to calculate existing and predicted traffic noise levels. The model primarily considers the number, type, and speed of vehicles; highway alignment and grade; cuts, fills, and natural berms; surrounding terrain features; and the locations of activity areas likely to be impacted by the associated traffic noise. The existing traffic numbers are compiled based on Streetlight data. The existing classification is extracted from the January 2021 Traffic Projection Methodology Memorandum for Spur 399. Posted speeds are used for existing. The 2050 predicted average daily traffic volume, vehicle classification, and k-factors are compiled for all build roadway segments. A copy of this traffic noise analysis would be made available to local officials to ensure, to the maximum extent possible, future developments are planned, designed, and programmed in a manner that would avoid traffic noise impacts. On the date of approval of this document (Date of Public Knowledge), TxDOT is no longer responsible for providing noise abatement for new development adjacent to the preferred alternative once one is selected.

The approved traffic data used in this analysis is included in **Attachment B**.

Validation

A validation study was performed in order to ensure that traffic noise is the main source of noise and to verify that the existing model accurately predicts existing traffic noise based on current conditions. Model validation compares field-collected sound level measurements to traffic noise levels calculated in an existing condition model that used field-collected traffic parameters. Differences between the measured and calculated levels for this project were within the +/- 3 dB(A) tolerance allowed by FHWA. Therefore, the existing noise model is considered validated for this project. Additional information on the validation study is included in **Attachment C**.

Results

Existing and predicted traffic noise levels were modeled at receptor locations (**Table 2 and Table 3**) that represent the land use activity areas adjacent to the proposed project that might be impacted by traffic noise and potentially benefit from feasible and reasonable noise abatement.

Table 2: Purple Alternative Traffic Noise Levels dB(A) Leq

PURPLE ALTERNATIVE Representative Receptors	NAC Category ²	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-007 Residential	B	67	58	66	8	Yes
R-008 Residential	B	67	59	67	8	Yes
R-009 Residential	B	67	60	68	8	Yes
R-010 Residential	B	67	60	70	10	Yes
R-011 Residential	B	67	62	71	9	Yes
R-012 Residential	B	67	63	72	9	Yes
R-013 Residential	B	67	64	73	9	Yes
R-014 Residential	B	67	67	73	6	Yes
R-015 Residential	B	67	68	69	1	Yes
R-016 Residential	B	67	68	67	-1	Yes
R-017 Residential	B	67	68	66	-2	Yes

² Abbreviations: NAC, Noise Abatement Criteria; dB(A), A-weighted decibel; Leq, average/equivalent sound level.

Traffic Noise Analysis Report

PURPLE ALTERNATIVE Representative Receptors	NAC Category ²	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-018 Residential	B	67	67	70	3	Yes
R-019 Residential	B	67	67	66	-1	Yes
R-020 Residential	B	67	67	65	-2	No
R-021 Residential	B	67	67	66	-1	Yes
R-022 Residential	B	67	67	65	-2	No
R-023 Residential	B	67	66	64	-2	No
R-024 Residential	B	67	66	64	-2	No
R-025 Residential	B	67	59	66	7	Yes
R-026 Residential	B	67	60	68	8	Yes
R-027 Residential	B	67	61	68	7	Yes
R-028 Residential	B	67	61	68	7	Yes
R-029 Residential	B	67	63	71	8	Yes
R-030 Residential	B	67	64	71	7	Yes
R-031 Residential	B	67	63	70	7	Yes
R-032 Residential	B	67	63	69	6	Yes
R-033 Residential	B	67	62	69	7	Yes
R-034 Residential	B	67	63	69	6	Yes
R-035 Residential	B	67	62	68	6	Yes
R-036 Residential	B	67	62	68	6	Yes
R-037 Residential	B	67	63	69	6	Yes
R-038 Residential	B	67	61	68	7	Yes
R-039 Residential	B	67	61	67	6	Yes
R-040 Residential	B	67	60	67	7	Yes
R-041 Residential	B	67	61	68	7	Yes
R-042 Residential	B	67	61	68	7	Yes
R-043 Residential	B	67	61	69	8	Yes
R-044 Residential	B	67	60	68	8	Yes
R-045 Residential	B	67	60	67	7	Yes
R-046 Residential	B	67	59	67	8	Yes
R-047 Residential	B	67	59	67	8	Yes
R-048 Residential	B	67	59	68	9	Yes
R-049 Residential	B	67	59	68	9	Yes
R-050 Residential	B	67	60	68	8	Yes
R-051 Residential	B	67	60	68	8	Yes
R-052 Residential	B	67	60	68	8	Yes
R-053 Residential	B	67	60	68	8	Yes
R-054 Residential	B	67	60	68	8	Yes

Traffic Noise Analysis Report

PURPLE ALTERNATIVE Representative Receptors	NAC Category ²	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-055 Residential	B	67	59	68	9	Yes
R-056 Residential	B	67	59	69	10	Yes
R-057 Residential	B	67	59	68	9	Yes
R-058 Residential	B	67	59	68	9	Yes
R-059 Residential	B	67	59	68	9	Yes
R-060 Residential	B	67	58	68	10	Yes
R-061 Residential	B	67	58	68	10	Yes
R-062 Residential	B	67	58	68	10	Yes
R-063 Residential	B	67	58	68	10	Yes
R-064 Residential	B	67	58	68	10	Yes
R-065 Residential	B	67	58	68	10	Yes
R-066 Residential	B	67	58	67	9	Yes
R-067 Residential	B	67	57	67	10	Yes
R-068 Residential	B	67	60	68	8	Yes
R-069 Residential	B	67	59	68	9	Yes
R-070 Residential	B	67	60	68	8	Yes
R-071 Residential	B	67	59	68	9	Yes
R-072 Residential	B	67	56	66	10	Yes
R-073 Residential	B	67	56	66	10	Yes
R-074 Residential	B	67	55	66	11	Yes
R-075 Residential	B	67	56	66	10	Yes
R-076 Residential	B	67	56	66	10	Yes
R-077 Residential	B	67	56	67	11	Yes
R-078 Residential	B	67	56	67	11	Yes
R-079 Residential	B	67	57	67	10	Yes
R-080 Residential	B	67	57	67	10	Yes
R-081 Residential	B	67	57	67	10	Yes
R-082 Residential	B	67	57	67	10	Yes
R-083 Residential	B	67	57	67	10	Yes
R-084 Residential	B	67	57	67	10	Yes
R-085 Residential	B	67	57	67	10	Yes
R-086 Residential	B	67	57	67	10	Yes
R-087 Residential	B	67	57	67	10	Yes
R-088 Residential	B	67	58	67	9	Yes
R-089 Residential	B	67	57	68	11	Yes
R-090 Residential	B	67	57	68	11	Yes
R-091 Residential	B	67	58	68	10	Yes

Traffic Noise Analysis Report

PURPLE ALTERNATIVE Representative Receptors	NAC Category ²	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-092 Residential	B	67	58	67	9	Yes
R-093 Residential	B	67	58	68	10	Yes
R-094 Residential	B	67	58	68	10	Yes
R-095 Residential	B	67	58	67	9	Yes
R-096 Residential	B	67	58	67	9	Yes
R-097 Residential	B	67	58	67	9	Yes
R-098 Residential	B	67	59	68	9	Yes
R-099 Residential	B	67	59	68	9	Yes
R-106 Residential	B	67	57	64	7	No
R-107 Residential	B	67	55	62	7	No
R-108 Residential	B	67	62	65	3	No
R-109 Residential	B	67	56	63	7	No
R-110 Residential	B	67	59	64	5	No
R-111 Residential	B	67	63	66	3	Yes
R-112 Residential	B	67	59	64	5	No
R-113 Residential	B	67	57	63	6	No
R-114 Residential	B	67	60	71	11	Yes
R-115 Residential	B	67	59	70	11	Yes
R-116 Residential	B	67	64	68	4	Yes
R-117 Residential	B	67	63	73	10	Yes
R-118 Residential	B	67	61	71	10	Yes
R-119 Residential	B	67	61	70	9	Yes
R-120 Residential	B	67	60	71	11	Yes
R-121 Residential	B	67	63	71	8	Yes
R-122 Residential	B	67	63	70	7	Yes
R-123 Residential	B	67	58	67	9	Yes
R-124 Residential	B	67	63	71	8	Yes
R-125 Residential	B	67	59	65	6	No
R-126 Residential	B	67	58	64	6	No
R-127 Residential	B	67	60	64	4	No
R-128 Residential	B	67	49	69	20	Yes
R-129 Residential	B	67	49	64	15	Yes
R-130 Residential	B	67	48	62	14	Yes
R-131 Residential	B	67	48	62	14	Yes
R-132 Residential	B	67	48	62	14	Yes
R-133 Residential	B	67	48	62	14	Yes
R-134 Residential	B	67	48	62	14	Yes

Traffic Noise Analysis Report

PURPLE ALTERNATIVE Representative Receptors	NAC Category ²	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-135 Residential	B	67	47	62	15	Yes
R-136 Residential	B	67	47	62	15	Yes
R-137 Residential	B	67	47	62	15	Yes
R-138 Residential	B	67	47	62	15	Yes
R-139 Residential	B	67	47	62	15	Yes
R-140 Residential	B	67	46	62	16	Yes
R-141 Residential	B	67	46	63	17	Yes
R-142 Residential	B	67	47	63	16	Yes
R-143 Residential	B	67	46	63	17	Yes
R-144 Residential	B	67	47	63	16	Yes
R-145 Residential	B	67	48	61	13	Yes
R-146 Residential	B	67	47	61	14	Yes
R-147 Residential	B	67	47	61	14	Yes
R-148 Residential	B	67	47	61	14	Yes
R-149 Residential	B	67	47	61	14	Yes
R-150 Residential	B	67	47	61	14	Yes
R-151 Residential	B	67	46	61	15	Yes
R-152 Residential	B	67	46	61	15	Yes
R-153 Residential	B	67	46	61	15	Yes
R-154 Residential	B	67	46	61	15	Yes
R-155 Residential	B	67	46	61	15	Yes
R-156 Residential	B	67	46	61	15	Yes
R-157 Residential	B	67	46	62	16	Yes
R-158 Residential	B	67	46	61	15	Yes
R-159 Residential	B	67	52	63	11	Yes
R-160 Residential	B	67	51	63	12	Yes
R-161 Residential	B	67	50	62	12	Yes
R-162 Residential	B	67	51	62	11	Yes
R-163 Residential	B	67	50	61	11	Yes
R-164 Residential	B	67	50	61	11	Yes
R-165 Residential	B	67	49	60	11	Yes
R-166 Residential	B	67	49	61	12	Yes
R-167 Residential	B	67	57	71	14	Yes
R-168 Residential	B	67	54	66	12	Yes
R-169 Residential	B	67	61	67	6	Yes
R-170 Residential	B	67	66	67	1	Yes
R-171 Residential	B	67	56	63	7	No

Traffic Noise Analysis Report

PURPLE ALTERNATIVE Representative Receptors	NAC Category ²	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-172 Residential	B	67	54	61	7	No
R-173 Residential	B	67	57	63	6	No
R-174 Residential	B	67	54	64	10	No
R-175 Residential	B	67	55	64	9	No
R-176 Residential	B	67	57	65	8	No
R-177 Residential	B	67	58	66	8	Yes
R-178 Residential	B	67	56	65	9	No
R-179 Residential	B	67	55	65	10	No
R-180 Residential	B	67	55	64	9	No
R-181 Residential	B	67	54	64	10	No
R-202 Future Residential Development	B	67	57	66	9	Yes
R-203 Future Residential Development	B	67	57	66	9	Yes
R-204 Future Residential Development	B	67	56	65	9	No
R-205 Future Residential Development	B	67	54	63	9	No
R-206 Future Residential Development	B	67	54	63	9	No
R-207 Future Residential Development	B	67	56	64	8	No
R-208 Future Residential Development	B	67	57	64	7	No
R-209 Future Residential Development	B	67	57	64	7	No
R-210 Future Residential Development	B	67	58	64	6	No
R-211 Future Residential Development	B	67	59	65	6	No
R-212 Future Residential Development	B	67	58	65	7	No
R-213 Future Residential Development	B	67	58	65	7	No
R-214 Future Residential Development	B	67	57	64	7	No
R-215 Future Residential Development	B	67	57	64	7	No
R-216 Future Residential Development	B	67	57	64	7	No
R-217 Future Residential Development	B	67	56	63	7	No
R-218 Future Residential Development	B	67	56	63	7	No
R-219 Future Residential Development	B	67	55	63	8	No
R-220 Future Residential Development	B	67	55	63	8	No
R-221 Future Residential Development	B	67	55	63	8	No
R-222 Future Residential Development	B	67	55	63	8	No
R-223 Future Residential Development	B	67	54	63	9	No
R-224 Future Residential Development	B	67	54	63	9	No
R-225 Future Residential Development	B	67	54	63	9	No
R-226 Future Residential Development	B	67	54	63	9	No
R-227 Future Residential Development	B	67	53	62	9	No
R-228 Future Residential Development	B	67	53	62	9	No

Traffic Noise Analysis Report

PURPLE ALTERNATIVE Representative Receptors	NAC Category ²	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-229 Future Residential Development	B	67	53	62	9	No
R-230 Future Residential Development	B	67	52	61	9	No
R-231 Future Residential Development	B	67	52	61	9	No
R-232 Future Residential Development	B	67	52	61	9	No
R-233 Future Residential Development	B	67	53	61	8	No
R-234 Future Residential Development	B	67	53	62	9	No
R-235 Future Residential Development	B	67	53	62	9	No
R-236 Future Residential Development	B	67	53	62	9	No
R-237 Future Residential Development	B	67	54	62	8	No
R-238 Future Residential Development	B	67	54	63	9	No
R-239 Future Residential Development	B	67	54	63	9	No
R-240 Future Residential Development	B	67	54	63	9	No
R-241 Future Residential Development	B	67	55	63	8	No
R-242 Future Residential Development	B	67	55	63	8	No
R-243 Future Residential Development	B	67	55	64	9	No
R-244 Future Residential Development	B	67	56	64	8	No
R-245 Future Residential Development	B	67	57	64	7	No
R-246 Future Residential Development	B	67	57	64	7	No
R-247 Future Residential Development	B	67	57	63	6	No
R-248 Future Residential Development	B	67	57	63	6	No
R-249 Future Residential Development	B	67	57	64	7	No
R-250 Future Residential Development	B	67	57	64	7	No
R-251 Future Residential Development	B	67	56	63	7	No
R-252 Future Residential Development	B	67	57	63	6	No
R-253 Future Residential Development	B	67	56	63	7	No
R-254 Future Residential Development	B	67	57	64	7	No
R-255 Future Residential Development	B	67	57	64	7	No
R-256 Future Residential Development	B	67	57	64	7	No
R-257 Future Residential Development	B	67	56	63	7	No
R-258 Future Residential Development	B	67	57	64	7	No
R-259 Future Residential Development	B	67	56	64	8	No
R-260 Future Residential Development	B	67	57	64	7	No
R-261 Future Residential Development	B	67	57	64	7	No
R-262 Future Residential Development	B	67	57	65	8	No
R-263 Future Residential Development	B	67	57	65	8	No
R-264 Future Residential Development	B	67	58	66	8	Yes
R-265 Future Residential Development	B	67	58	66	8	Yes

Traffic Noise Analysis Report

PURPLE ALTERNATIVE Representative Receptors	NAC Category ²	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-266 Future Residential Development	B	67	58	66	8	Yes
R-267 Future Residential Development	B	67	58	66	8	Yes
R-268 Future Residential Development	B	67	58	66	8	Yes
R-269 Future Residential Development	B	67	59	66	7	Yes
R-270 Future Residential Development	B	67	59	66	7	Yes
R-271 Future Residential Development	B	67	61	68	7	Yes
R-272 Future Residential Development	B	67	61	68	7	Yes
R-273 Future Residential Development	B	67	62	69	7	Yes
R-274 Future Residential Development	B	67	61	68	7	Yes
R-275 Future Residential Development	B	67	62	69	7	Yes
R-276 Future Residential Development	B	67	62	69	7	Yes
R-277 Future Residential Development	B	67	62	69	7	Yes
R-278 Future Residential Development	B	67	62	69	7	Yes
R-279 Future Residential Development	B	67	62	69	7	Yes
R-280 Future Residential Development	B	67	61	69	8	Yes
R-281 Future Residential Development	B	67	58	66	8	Yes
R-282 Future Residential Development	B	67	58	67	9	Yes
R-283 Future Residential Development	B	67	59	66	7	Yes
R-284 Future Residential Development	B	67	60	67	7	Yes
R-285 Future Residential Development	B	67	60	67	7	Yes
R-286 Future Residential Development	B	67	61	68	7	Yes
R-287 Future Residential Development	B	67	62	68	6	Yes
R-288 Future Residential Development	B	67	62	68	6	Yes
R-289 Future Residential Development	B	67	57	66	9	Yes
R-290 Future Residential Development	B	67	57	65	8	No
R-291 Future Residential Development	B	67	58	65	7	No
R-292 Future Residential Development	B	67	58	66	8	Yes
R-293 Future Residential Development	B	67	58	66	8	Yes
R-294 Future Residential Development	B	67	59	66	7	Yes
R-295 Future Residential Development	B	67	59	66	7	Yes
R-296 Future Residential Development	B	67	57	65	8	No
R-297 Future Residential Development	B	67	56	64	8	No
R-298 Future Residential Development	B	67	56	64	8	No
R-299 Future Residential Development	B	67	56	63	7	No
R-300 Park	C	67	52	64	12	Yes
R-304 Park	C	67	49	69	20	Yes
R-305 Park	C	67	62	67	5	Yes

Traffic Noise Analysis Report

PURPLE ALTERNATIVE Representative Receptors	NAC Category ²	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-306 Park	C	67	52	65	13	Yes
R-309 Institution	C	67	64	67	3	Yes
R-310 Institution	C	67	67	69	2	Yes

Table 3. Orange Alternative Traffic Noise Levels dB(A) Leq

ORANGE ALTERNATIVE Representative Receptors	NAC ³ Category	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-001 Residential	B	67	65	72	7	Yes
R-002 Residential	B	67	59	65	6	No
R-003 Residential	B	67	47	69	22	Yes
R-004 Residential	B	67	49	67	18	Yes
R-005 Residential	B	67	48	68	20	Yes
R-006 Residential	B	67	50	69	19	Yes
R-007 Residential	B	67	58	66	8	Yes
R-008 Residential	B	67	59	67	8	Yes
R-009 Residential	B	67	60	68	8	Yes
R-010 Residential	B	67	60	70	10	Yes
R-011 Residential	B	67	62	71	9	Yes
R-012 Residential	B	67	63	72	9	Yes
R-013 Residential	B	67	64	73	9	Yes
R-014 Residential	B	67	67	73	6	Yes
R-015 Residential	B	67	68	69	1	Yes
R-016 Residential	B	67	68	67	-1	Yes
R-017 Residential	B	67	68	66	-2	Yes
R-018 Residential	B	67	67	70	3	Yes
R-019 Residential	B	67	67	66	-1	Yes
R-020 Residential	B	67	67	65	-2	No
R-021 Residential	B	67	67	66	-1	Yes
R-022 Residential	B	67	67	65	-2	No
R-023 Residential	B	67	66	64	-2	No
R-024 Residential	B	67	66	64	-2	No
R-025 Residential	B	67	59	66	7	Yes
R-026 Residential	B	67	60	68	8	Yes
R-027 Residential	B	67	61	68	7	Yes

³ Abbreviations: NAC, Noise Abatement Criteria; dB(A), A-weighted decibel; Leq, average/equivalent sound level.

Traffic Noise Analysis Report

ORANGE ALTERNATIVE Representative Receptors	NAC ³ Category	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-028 Residential	B	67	61	68	7	Yes
R-029 Residential	B	67	63	71	8	Yes
R-030 Residential	B	67	64	71	7	Yes
R-031 Residential	B	67	63	70	7	Yes
R-032 Residential	B	67	63	69	6	Yes
R-033 Residential	B	67	62	69	7	Yes
R-034 Residential	B	67	63	69	6	Yes
R-035 Residential	B	67	62	68	6	Yes
R-036 Residential	B	67	62	68	6	Yes
R-037 Residential	B	67	63	69	6	Yes
R-038 Residential	B	67	61	68	7	Yes
R-039 Residential	B	67	61	67	6	Yes
R-040 Residential	B	67	60	67	7	Yes
R-041 Residential	B	67	61	69	8	Yes
R-042 Residential	B	67	61	69	8	Yes
R-043 Residential	B	67	61	69	8	Yes
R-044 Residential	B	67	60	68	8	Yes
R-045 Residential	B	67	60	67	7	Yes
R-046 Residential	B	67	59	67	8	Yes
R-047 Residential	B	67	59	68	9	Yes
R-048 Residential	B	67	59	68	9	Yes
R-049 Residential	B	67	59	68	9	Yes
R-050 Residential	B	67	60	69	9	Yes
R-051 Residential	B	67	60	69	9	Yes
R-052 Residential	B	67	60	69	9	Yes
R-053 Residential	B	67	60	69	9	Yes
R-054 Residential	B	67	60	69	9	Yes
R-055 Residential	B	67	59	69	10	Yes
R-056 Residential	B	67	59	69	10	Yes
R-057 Residential	B	67	59	69	10	Yes
R-058 Residential	B	67	59	69	10	Yes
R-059 Residential	B	67	59	69	10	Yes
R-060 Residential	B	67	58	69	11	Yes
R-061 Residential	B	67	58	69	11	Yes
R-062 Residential	B	67	58	69	11	Yes
R-063 Residential	B	67	58	69	11	Yes
R-064 Residential	B	67	58	69	11	Yes

Traffic Noise Analysis Report

ORANGE ALTERNATIVE Representative Receptors	NAC ³ Category	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-065 Residential	B	67	58	68	10	Yes
R-066 Residential	B	67	58	68	10	Yes
R-067 Residential	B	67	57	67	10	Yes
R-068 Residential	B	67	60	69	9	Yes
R-069 Residential	B	67	59	69	10	Yes
R-070 Residential	B	67	60	69	9	Yes
R-071 Residential	B	67	59	69	10	Yes
R-072 Residential	B	67	56	66	10	Yes
R-073 Residential	B	67	56	67	11	Yes
R-074 Residential	B	67	55	66	11	Yes
R-075 Residential	B	67	56	66	10	Yes
R-076 Residential	B	67	56	66	10	Yes
R-077 Residential	B	67	56	67	11	Yes
R-078 Residential	B	67	56	67	11	Yes
R-079 Residential	B	67	57	67	10	Yes
R-080 Residential	B	67	57	68	11	Yes
R-081 Residential	B	67	57	68	11	Yes
R-082 Residential	B	67	57	68	11	Yes
R-083 Residential	B	67	57	68	11	Yes
R-084 Residential	B	67	57	68	11	Yes
R-085 Residential	B	67	57	68	11	Yes
R-086 Residential	B	67	57	68	11	Yes
R-087 Residential	B	67	57	68	11	Yes
R-088 Residential	B	67	58	68	10	Yes
R-089 Residential	B	67	57	68	11	Yes
R-090 Residential	B	67	57	68	11	Yes
R-091 Residential	B	67	58	68	10	Yes
R-092 Residential	B	67	58	68	10	Yes
R-093 Residential	B	67	58	68	10	Yes
R-094 Residential	B	67	58	68	10	Yes
R-095 Residential	B	67	58	68	10	Yes
R-096 Residential	B	67	58	67	9	Yes
R-097 Residential	B	67	58	67	9	Yes
R-098 Residential	B	67	59	68	9	Yes
R-099 Residential	B	67	59	68	9	Yes
R-100 Residential	B	67	61	69	8	Yes
R-101 Residential	B	67	46	64	18	Yes

Traffic Noise Analysis Report

ORANGE ALTERNATIVE Representative Receptors	NAC ³ Category	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-102 Residential	B	67	47	73	26	Yes
R-103 Residential	B	67	48	65	17	Yes
R-104 Residential	B	67	51	64	13	Yes
R-105 Residential	B	67	52	65	13	Yes
R-121 Residential	B	67	63	71	8	Yes
R-122 Residential	B	67	63	70	7	Yes
R-123 Residential	B	67	58	67	9	Yes
R-124 Residential	B	67	63	71	8	Yes
R-125 Residential	B	67	59	65	6	No
R-126 Residential	B	67	58	64	6	No
R-127 Residential	B	67	60	63	3	No
R-128 Residential	B	67	49	56	7	No
R-129 Residential	B	67	49	58	9	No
R-173 Residential	B	67	57	63	6	No
R-174 Residential	B	67	54	64	10	No
R-175 Residential	B	67	55	64	9	No
R-176 Residential	B	67	57	65	8	No
R-177 Residential	B	67	58	66	8	Yes
R-178 Residential	B	67	56	65	9	No
R-179 Residential	B	67	55	65	10	No
R-180 Residential	B	67	55	65	10	No
R-181 Residential	B	67	54	64	10	No
R-182 Residential	B	67	52	64	12	Yes
R-183 Residential	B	67	55	63	8	No
R-184 Residential	B	67	53	64	11	Yes
R-185 Residential	B	67	53	62	9	No
R-186 Residential	B	67	49	60	11	Yes
R-187 Residential	B	67	47	65	18	Yes
R-188 Residential	B	67	47	60	13	Yes
R-189 Residential	B	67	47	66	19	Yes
R-190 Residential	B	67	42	59	17	Yes
R-191 Residential	B	67	41	55	14	Yes
R-192 Residential	B	67	43	58	15	Yes
R-193 Residential	B	67	43	56	13	Yes
R-194 Residential	B	67	54	57	3	No
R-195 Residential	B	67	57	59	2	No
R-196 Residential	B	67	56	59	3	No

Traffic Noise Analysis Report

ORANGE ALTERNATIVE Representative Receptors	NAC ³ Category	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-197 Residential	B	67	50	59	9	No
R-198 Residential	B	67	49	58	9	No
R-199 Residential	B	67	52	59	7	No
R-200 Residential	B	67	43	59	16	Yes
R-201 Residential	B	67	68	73	5	Yes
R-202 Future Residential Development	B	67	57	67	10	Yes
R-203 Future Residential Development	B	67	57	66	9	Yes
R-204 Future Residential Development	B	67	56	65	9	No
R-205 Future Residential Development	B	67	54	63	9	No
R-206 Future Residential Development	B	67	54	63	9	No
R-207 Future Residential Development	B	67	56	64	8	No
R-208 Future Residential Development	B	67	57	64	7	No
R-209 Future Residential Development	B	67	57	64	7	No
R-210 Future Residential Development	B	67	58	64	6	No
R-211 Future Residential Development	B	67	59	65	6	No
R-212 Future Residential Development	B	67	58	65	7	No
R-213 Future Residential Development	B	67	58	65	7	No
R-214 Future Residential Development	B	67	57	64	7	No
R-215 Future Residential Development	B	67	57	64	7	No
R-216 Future Residential Development	B	67	57	64	7	No
R-217 Future Residential Development	B	67	56	63	7	No
R-218 Future Residential Development	B	67	56	63	7	No
R-219 Future Residential Development	B	67	55	63	8	No
R-220 Future Residential Development	B	67	55	63	8	No
R-221 Future Residential Development	B	67	55	63	8	No
R-222 Future Residential Development	B	67	55	63	8	No
R-223 Future Residential Development	B	67	54	63	9	No
R-224 Future Residential Development	B	67	54	63	9	No
R-225 Future Residential Development	B	67	54	63	9	No
R-226 Future Residential Development	B	67	54	63	9	No
R-227 Future Residential Development	B	67	53	62	9	No
R-228 Future Residential Development	B	67	53	62	9	No
R-229 Future Residential Development	B	67	53	62	9	No
R-230 Future Residential Development	B	67	52	61	9	No
R-231 Future Residential Development	B	67	52	61	9	No
R-232 Future Residential Development	B	67	52	61	9	No
R-233 Future Residential Development	B	67	53	61	8	No

Traffic Noise Analysis Report

ORANGE ALTERNATIVE Representative Receptors	NAC ³ Category	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-234 Future Residential Development	B	67	53	62	9	No
R-235 Future Residential Development	B	67	53	62	9	No
R-236 Future Residential Development	B	67	53	63	10	No
R-237 Future Residential Development	B	67	54	63	9	No
R-238 Future Residential Development	B	67	54	63	9	No
R-239 Future Residential Development	B	67	54	63	9	No
R-240 Future Residential Development	B	67	54	63	9	No
R-241 Future Residential Development	B	67	55	63	8	No
R-242 Future Residential Development	B	67	55	63	8	No
R-243 Future Residential Development	B	67	55	64	9	No
R-244 Future Residential Development	B	67	56	64	8	No
R-245 Future Residential Development	B	67	57	64	7	No
R-246 Future Residential Development	B	67	57	64	7	No
R-247 Future Residential Development	B	67	57	64	7	No
R-248 Future Residential Development	B	67	57	63	6	No
R-249 Future Residential Development	B	67	57	64	7	No
R-250 Future Residential Development	B	67	57	64	7	No
R-251 Future Residential Development	B	67	56	64	8	No
R-252 Future Residential Development	B	67	57	63	6	No
R-253 Future Residential Development	B	67	56	63	7	No
R-254 Future Residential Development	B	67	57	64	7	No
R-255 Future Residential Development	B	67	57	65	8	No
R-256 Future Residential Development	B	67	57	64	7	No
R-257 Future Residential Development	B	67	56	63	7	No
R-258 Future Residential Development	B	67	57	64	7	No
R-259 Future Residential Development	B	67	56	65	9	No
R-260 Future Residential Development	B	67	57	64	7	No
R-261 Future Residential Development	B	67	57	65	8	No
R-262 Future Residential Development	B	67	57	65	8	No
R-263 Future Residential Development	B	67	57	65	8	No
R-264 Future Residential Development	B	67	58	66	8	Yes
R-265 Future Residential Development	B	67	58	66	8	Yes
R-266 Future Residential Development	B	67	58	66	8	Yes
R-267 Future Residential Development	B	67	58	66	8	Yes
R-268 Future Residential Development	B	67	58	66	8	Yes
R-269 Future Residential Development	B	67	59	66	7	Yes
R-270 Future Residential Development	B	67	59	66	7	Yes

Traffic Noise Analysis Report

ORANGE ALTERNATIVE Representative Receptors	NAC ³ Category	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-271 Future Residential Development	B	67	61	68	7	Yes
R-272 Future Residential Development	B	67	61	68	7	Yes
R-273 Future Residential Development	B	67	62	69	7	Yes
R-274 Future Residential Development	B	67	61	69	8	Yes
R-275 Future Residential Development	B	67	62	69	7	Yes
R-276 Future Residential Development	B	67	62	69	7	Yes
R-277 Future Residential Development	B	67	62	69	7	Yes
R-278 Future Residential Development	B	67	62	69	7	Yes
R-279 Future Residential Development	B	67	62	69	7	Yes
R-280 Future Residential Development	B	67	61	69	8	Yes
R-281 Future Residential Development	B	67	58	66	8	Yes
R-282 Future Residential Development	B	67	58	67	9	Yes
R-283 Future Residential Development	B	67	59	67	8	Yes
R-284 Future Residential Development	B	67	60	67	7	Yes
R-285 Future Residential Development	B	67	60	67	7	Yes
R-286 Future Residential Development	B	67	61	68	7	Yes
R-287 Future Residential Development	B	67	62	68	6	Yes
R-288 Future Residential Development	B	67	62	69	7	Yes
R-289 Future Residential Development	B	67	57	66	9	Yes
R-290 Future Residential Development	B	67	57	66	9	Yes
R-291 Future Residential Development	B	67	58	66	8	Yes
R-292 Future Residential Development	B	67	58	66	8	Yes
R-293 Future Residential Development	B	67	58	66	8	Yes
R-294 Future Residential Development	B	67	59	66	7	Yes
R-295 Future Residential Development	B	67	59	67	8	Yes
R-296 Future Residential Development	B	67	57	65	8	No
R-297 Future Residential Development	B	67	56	64	8	No
R-298 Future Residential Development	B	67	56	64	8	No
R-299 Future Residential Development	B	67	56	63	7	No
R-301 Park	C	67	45	63	18	Yes
R-304 Park	C	67	49	69	20	Yes
R-305 Park	C	67	62	67	5	Yes
R-306 Park	C	67	52	65	13	Yes
R-307 Park	C	67	42	63	21	Yes
R-308 Park	C	67	41	60	19	Yes
R-309 Institution	C	67	64	67	3	Yes
R-310 Institution	C	67	67	69	2	Yes

ORANGE ALTERNATIVE Representative Receptors	NAC ³ Category	NAC Level	Existing	Predicted 2050	Change (+/-)	Noise Impact (Yes/No)
R-311 Residential	B	67	47	70	23	Yes
R-312 Residential	B	67	49	69	20	Yes
R-313 Residential	B	67	60	71	11	Yes
R-314 Residential	B	67	53	68	15	Yes
R-315 Residential	B	67	57	59	2	No
R-316 Residential	B	67	56	58	2	No

Abbreviations: NAC, Noise Abatement Criteria; dB(A), A-weighted decibel; Leq, average/equivalent sound level.

As indicated in **Table 2 and Table 3**, the proposed project would result in a traffic noise impact at one or more representative receptor locations. Of the 273 Category B and C receptors analyzed for the Purple Alternative, 183 receptors are impacted. Of the 256 Category B and C receptors analyzed for the Orange Alternative, 164 receptors are impacted. **Table 4** summarizes the impacts resulting from both build alternatives.

Table 4. Summary of Traffic Noise Impacts of the Purple and Orange Alternatives

	Number of Receptors Impacted	Number with Significant Increases	Number of Receptors Benefited by Feasible and Reasonable Barriers
PURPLE ALTERNATIVE	183	52	26
ORANGE ALTERNATIVE	164	49	26

Noise abatement measures will be considered for each location with predicted noise impacts.

Abatement Analysis

Before any abatement measure can be proposed for incorporation into the project, it must be both feasible and reasonable. Feasibility and reasonableness considerations include constructability, the predicted acoustic reductions provided by an abatement measure, a cost allowance, and whether the adjacent receptors desire abatement. Receptors associated with an abatement measure that achieve a noise reduction of five dB(A) or greater are called benefited receptors.

In order to be "feasible," the abatement measure must benefit a minimum of two impacted receptors AND reduce the predicted noise level by at least five dB(A) at greater than 50 percent of the first-row impacted receptors. Engineering considerations, such as access, drainage, and utility locations, are also factored into the feasibility assessment of a potential noise barrier.

In order to be "reasonable," the abatement measure must also reduce the predicted noise level by at least seven dB(A) for at least one benefited receptor (noise reduction design goal) and not exceed the standard barrier cost of 1,500 square feet per benefited receptor. In addition, an abatement measure may not be reasonable if the construction costs are unreasonably high due to site constraints, as determined through an alternate barrier cost assessment.

The following noise abatement measures were considered: traffic management, alteration of horizontal and/or vertical alignments, acquisition of undeveloped property to act as a buffer zone, and the construction of noise barriers.

Traffic management – Control devices could be used to reduce the speed of the traffic; however, the minor benefit of one dB(A) per five mph reduction in speed does not outweigh the associated increase in congestion and air pollution. Other measures such as time or use restrictions for certain vehicles are prohibited on state highways.

Alteration of horizontal and/or vertical alignments – Any alteration of the existing alignment would displace existing businesses and residences, require additional ROW and not be cost effective/reasonable.

Buffer zone – The acquisition of undeveloped property to act as a buffer zone is designed to avoid rather than abate traffic noise impacts and, therefore, is not feasible.

Noise barriers – Noise barriers in the form of noise walls are the most commonly used noise abatement measures and were considered for this project. A noise abatement analysis was conducted as part of this report. A more comprehensive noise abatement analysis will be conducted as more detailed design data becomes available for the Preferred Alternative. This future analysis will be documented in the Final Environmental Impact Statement (FEIS). Noise barriers were evaluated for each of the impacted receptor locations with the following results:

R-001, R-003, R-004, R-101, R-111, R-128, R-129, R-182, R-186, R-188 to R-193, R-200, R-201, and R-308 - These receptors are separate, isolated residences, which are not associated with a neighborhood or subdivision. Because a noise abatement measure must potentially benefit a minimum of two impacted receptors, noise abatement for these locations is not feasible.

Barrier 2: R-041 to R-099, R-202 and R-203 (Figure 1-2 and Figure 2-2) - These receivers represent a total of 61 impacted residences in Greens of McKinney neighborhood along both alternatives. Based on preliminary calculations, a noise barrier 1,499 feet in length, 20 feet in height, and located along the ROW would not be sufficient to achieve the minimum, feasible reduction of 5 dB(A) for a majority of impacted receptors or the noise reduction design goal of 7 dB(A).

Barrier 3: R-007 to R-040, R-125 and R-126 (Figure 1-5 and Figure 2-5) – Barrier 3 is proposed under the separate SH-5 project (CSJ 0047-05-054, etc.) and would not be modified for this project. This barrier was reevaluated with the new roadway design to confirm that the previously proposed noise barrier would meet the TxDOT feasibility and reasonableness requirements. These receivers represented 30 impacted residences at the High Point Manufactured Home Community along northbound SH 5 east of the SH 5/ Spur 399 interchange. Barriers were placed along the proposed TxDOT ROW on the hill nearer to the top of slope and residences. The barrier set was placed north and south of Crestwood Road. The barrier is in two sections with a gap required to maintain access to the community at Crestwood Road.

Results of the previous noise traffic analysis for the proposed SH 5 project indicated that a traffic noise barrier would be both feasible and reasonable. A 12-foot high traffic noise barrier approximately 629 feet long was modeled and benefits 14 receivers, of which 10 were along the first-row receivers, including the 7 dB(A) design goal reduction and 91% (10 out of 11) of the impacted first row receivers. Total cost of the barrier would be \$136,128 or \$13,613 for each benefited receiver. The noise barrier achieves the design goal of 7 dB(A), the minimum feasible reduction of 5 dB(A) and the reasonable, cost-effectiveness criterion of \$25,000. Total cost was estimated using \$18 per square foot in accordance with TxDOT's 2011 Guidelines for Analysis and Abatement of Roadway Traffic Noise.

Barrier 4: R-121 to R-124 and R-174 to R-181 (Figure 1-7 and Figure 2-7) - These receivers represent a total of 5 impacted residences in Greens of McKinney neighborhood along both alternatives. Based on preliminary calculations, a noise barrier 437 feet in length (two segments 303, and 134 feet long), 20 feet in height, and located along the ROW would not be sufficient to achieve the minimum, feasible reduction of 5 dB(A) for a majority of impacted receptors or the noise reduction design goal of 7 dB(A).

Barrier 5: R-306 (Figure 1-8 and Figure 2-8)– This receptor represents the centroid of the impacted park

area associated with Wilson Creek Greenbelt along both alternatives. The impacted area of the park is predicted to be approximately 21 acres and is equivalent to 77 residential receptors, based on a 12,322 square feet average residential lot size in the project area. A continuous noise barrier, 20 feet in height and approximately 1,259 feet in length, would not reduce noise levels by at least 5 dB(A) or meet the noise reduction design goal of 7 dB(A) for the receptor representing the centroid of the impacted park area.

Barrier 6: R-304 (Figure 1-9 and Figure 2-9) – This receptor represents the centroid of the impacted area of proposed park over the existing landfill along both alternatives. The impacted area of the park is predicted to be approximately 78 acres and is equivalent to 278 residential receptors, based on a 12,322 square feet average residential lot size in the project area. A continuous noise barrier, 20 feet in height and approximately 1,585 feet in length, would not reduce noise levels by at least 5 dB(A) or meet the noise reduction design goal of 7 dB(A) for the receptor representing the centroid of the impacted park area.

Barrier 7: R-006 and R-187 (Figure 2-11) - These receivers represent a total of 2 impacted residences in the neighborhood near Country Lane and Old Mill Road along the Orange Alternative. Based on preliminary calculations, a noise barrier 289 feet in length, 20 feet in height, and located along the ROW would not be sufficient to achieve the minimum, feasible reduction of 5 dB(A) for a majority of impacted receptors or the noise reduction design goal of 7 dB(A).

Barrier 8: R-301 (Figure 2-21) – This receptor represents the centroid of the impacted area of the McKinney Future Parkland along the Orange Alternative. The impacted area of the park is predicted to be approximately 62 acres and is equivalent to 221 residential receptors, based on a 12,322 square feet average residential lot size in the project area. A continuous noise barrier, 20 feet in height and approximately 1,666 feet in length, would not reduce noise levels by at least 5 dB(A) or meet the noise reduction design goal of 7 dB(A) for the receptor representing the centroid of the impacted park area.

Barrier 9: R-130 to R-158 (Figure 1-11) - These receivers represent a total of 29 impacted residences in the Bramblewood Mobile Home Community along the Purple Alternative. It is not feasible to locate a noise barrier here due to intervening land use (commercial/industrial) between the receivers and the barrier.

Barrier 10: R-159 to R-166 (Figure 1-12) - These receivers represent a total of 8 impacted residences in the residential neighborhood near Industrial Boulevard along the Purple Alternative. It is not feasible to locate a noise barrier here due to intervening land use (a large commercial building) between the receivers and the barrier.

Barrier 11: R-114 to R-120 and R-167 to R-170 (Figure 1-13) - These receivers represent a total of 11 impacted residences in the Mouzon neighborhood along the Purple Alternative. Based on preliminary calculations, a noise barrier 741 feet in length (two segments 323, and 418 feet long), 20 feet in height, and located along the ROW would not be sufficient to achieve the minimum, feasible reduction of 5 dB(A) for a majority of impacted receptors or meet the noise reduction design goal of 7 dB(A).

Barrier 12: R-300 (Figure 1-14) – This receptor represents the centroid of the impacted area of the Trinity River Greenway for the Purple Alternative. The impacted area of the park is predicted to be approximately 11 acres and is equivalent to 40 residential receptors, based on a 12,322 square feet average residential lot size in the project area. A continuous noise barrier, 20 feet in height and approximately 2,073 feet in length, would not reduce noise levels by at least 5 dB(A) or meet the noise reduction design goal of 7 dB(A) for the receptor representing the centroid of the impacted park area.

Barrier 13: R-310 (Figure 1-1 and Figure 2-1) – This receptor represents the four impacted Category C dwelling unit equivalents at the 28 classrooms at Collin County Community College for both alternatives. Based on preliminary calculations, a noise barrier 1,298 feet in length (three segments 420, 485, and 393 feet long), 20 feet in height, and located along the ROW would be sufficient to achieve the minimum, feasible reduction of 5 dB(A) for a majority of impacted receptors, but would not meet the 7 dB(A) noise reduction design goal.

Barrier 14: R-309 (Figure 1-1 and Figure 2-1) – This receptor represents the 20 impacted Category C dwelling unit equivalent at the 281- bed Medical Center of McKinney along both alternatives. Based on preliminary calculations, a noise barrier 1,338 feet in length (three segments 356, 368, and 614 feet long), 20 feet in height, and located along the ROW would not be sufficient to achieve the minimum, feasible reduction of 5 dB(A) for a majority of impacted receptors or meet the noise reduction design goal of 7 dB(A).

Barrier 15: R-303 (Figure 2-13) - This receptor represents the centroid of the impacted area of the Fairview Nature Preserve along the Orange Alternative. The impacted area of the park is predicted to be approximately 44 acres and is equivalent to 157 residential receptors, based on a 12,322 square feet average residential lot size in the project area. A continuous noise barrier, 20 feet in height and approximately 874 feet in length, would not reduce noise levels by at least 5 dB(A) or meet the noise reduction design goal of 7 dB(A) for the receptor representing the centroid of the impacted area.

Barrier 16: R-100, R-313 and R-314 (Figure 2-17) - These receivers represent a total of three impacted residences in the neighborhood near the intersection of Harry McKillop Boulevard and Almeta Lane along the Orange Alternative. Based on preliminary calculations, a noise barrier 335 feet in length, 20 feet in height, and located along the ROW would reduce noise levels by at least 5 dB(A) for two benefited receivers and 7 dB(A) (design goal) for one of the benefited receivers. However, with the total surface area of abatement at 6,700 square feet or 3,350 square feet per benefited receiver, the barrier would exceed the cost-reasonableness criterion of 1,500 square feet per benefited receptor.

Barrier 17: R-305 (Figure 1-8 and Figure 2-8) – This receptor represents the centroid of the impacted area of the Wilson Creek Greenbelt (West of SH 5) along both alternatives. The impacted area of the park is predicted to be approximately 9 acres and is equivalent to 33 residential receptors, based on a 12,322 square feet average residential lot size in the project area. A continuous noise barrier, 20 feet in height and approximately 1,797 feet in length, would not reduce noise levels by at least 5 dB(A) or meet the noise reduction design goal of 7 dB(A) for the receptor representing the centroid of the impacted area.

Barrier 18 R-102 to R-105, R-184, R-185 and R-311 (Figure 2-12 and Figure 2-13) - These receivers represent a total of 6 impacted residences in the neighborhood along Old Mill Road along the Orange Alternative. Based on preliminary calculations, a noise barrier 593 feet in length, 20 feet in height, and located along the ROW reduce noise levels by at least 5 dB(A) for two benefited receivers and 7 dB(A) (design goal) for two of the benefited receivers. However, with the total surface area of abatement at 11,860 square feet or 5,930 square feet per benefited receiver, the barrier would exceed the cost-reasonableness criterion of 1,500 square feet per benefited receptor.

Barrier 19 R-005, and R-312 (Figure 2-14) - These receivers represent a total of 2 impacted residences in the neighborhood along Old Mill Road along the Orange Alternative. Based on preliminary calculations, a noise barrier 183 feet in length, 20 feet in height, and located along the ROW would not be sufficient to achieve the minimum, feasible reduction of 5 dB(A) for a majority of impacted receptors or the noise reduction design goal of 7 dB(A).

Barrier 20 R-307 (Figure 2-14) - This receptor represents the centroid of the impacted area at the Fairview Soccer Complex along the Orange Alternative. The impacted area of the park is predicted to be approximately 50 acres and is equivalent to 177 residential receptors, based on a 12,322 square feet average residential lot size in the project area. A continuous noise barrier, 20 feet in height and approximately 327 feet in length, would not reduce noise levels by at least 5 dB(A) or meet the noise reduction design goal of 7 dB(A) for the receptor representing the centroid of the impacted area.

Feasible and Reasonable Barriers

The following barrier is both feasible and reasonable based on the initial barrier analysis. **Table 5** summarizes the proposed barrier. The reasonable/feasible barrier analysis recommendations will be included in the Draft Environmental Impact Statement (DEIS).

Table 5: Proposed Noise Barriers

Barrier	Locations	Receptor Number - Type	Number of Benefited Receivers	Length (feet)	Height (feet)	Total Barrier Area (ft ²)	Length / Benefited Receiver (ft)
1	Magnolia Ranch Apartments	R-173, R-245 to R-299, Residential	12	961	18	17,298	1,442

Barrier 1: R-173, R-245 to R-299 (Figure 1-3 and Figure 2-3) - These receivers represent a total of 30 impacted residences at the permitted Magnolia Ranch Apartments along both alternatives. Based on preliminary calculations, a noise barrier 961 feet in length, 18 feet in height, and located along the ROW would reduce noise levels by at least 5 dB(A) for 12 benefited receptors and meet the noise reduction design goal of 7 dB(A) for at least one of those receptors. With a total area of abatement of 17,298 square feet or 1,442 square feet per benefited receptor, the barrier would be cost reasonable. Therefore, Barrier 1 is considered acoustically feasible and cost effective.

Statement of Likelihood

Any subsequent project design changes may require a reevaluation of this preliminary noise barrier proposal. The final decision to construct the proposed noise barrier will not be made until completion of the project design, utility evaluation, and polling of all benefited and adjacent property owners and residents.

Noise Contours for Land Use Planning

To avoid noise impacts that may result from future development of properties adjacent to the project, local officials responsible for land use control programs must ensure, to the maximum extent possible, that no new activities are planned or constructed along or within the following predicted (2050) noise impact contours (see **Table 6**).

Table 6. Noise Contours for Land Use Planning

Land Use	Impact Contour	Distance from Right of Way
NAC category B & C	66 dB(A)	≈370 feet
NAC category E	71 dB(A)	≈224 feet

Impact contours are one dB(A) lower than the NAC per category to reflect impacts that would occur as a result of approaching the NAC for the respective contours. Permit research was conducted using the best available online data from the City of McKinney as of October 1, 2021. This research was based on available online permit search and address information from the Collin Central Appraisal District database.

Construction Noise

Noise associated with the construction of the project is difficult to predict. Heavy machinery, the major source of noise in construction, is constantly moving in unpredictable patterns. However, construction normally occurs during daylight hours when occasional loud noises are more tolerable. None of the receptors are expected to be exposed to construction noise for a long duration; therefore, any extended disruption of normal activities is not expected. Provisions will be included in the plans and specifications that require the contractor to make every reasonable effort to minimize construction noise through abatement measures such as work-hour controls and proper maintenance of muffler systems.


Local Official Notification and Date of Public Knowledge Statement

A copy of this Traffic Noise Analysis Report will be available to local officials. On the date of the environmental decision for this project (Date of Public Knowledge), FHWA and TxDOT are no longer responsible for providing noise abatement for new development adjacent to the project.

List of Attachments

- A. Map figures
- B. Traffic data
- C. Existing Model Validation Study

Attachment A – Map Figures



- VALIDATION LOCATIONS
- PROPOSED BARRIER
- - - NOT PROPOSED BARRIER
- EXISTING ROW
- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE


NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
PURPLE ALTERNATIVE

0 100 200 Feet



FIGURE 1-1
APR 2022



- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- EXISTING ROW
- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE





NOISE IMPACTS AND RECEIVERS




SPUR 399 EXTENSION
PURPLE ALTERNATIVE



0 100 200 Feet



FIGURE 1-2
APR 2022







- VALIDATION LOCATIONS
- PROPOSED BARRIER
- BARRIER TO BE CONSTRUCTED
- NOT PROPOSED BARRIER
- EXISTING ROW
- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE


NOISE IMPACTS AND RECEIVERS


SPUR 399 EXTENSION PURPLE ALTERNATIVE



0 100 200 Feet



FIGURE 1-5
APR 2022







- VALIDATION LOCATIONS
- PROPOSED BARRIER
- - - NOT PROPOSED BARRIER
- EXISTING ROW
- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- PROPOSED ROW
- - - PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE



NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
PURPLE ALTERNATIVE

0 100 200 Feet



FIGURE 1-8
APR 2022



- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- EXISTING ROW
- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE


NOISE IMPACTS AND RECEIVERS


SPUR 399 EXTENSION
PURPLE ALTERNATIVE


0 100 200 Feet




FIGURE 1-9
APR 2022









- VALIDATION LOCATIONS
- PROPOSED BARRIER
- - NOT PROPOSED BARRIER
- EXISTING ROW
- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE

NOISE IMPACTS AND RECEIVERS



SPUR 399 EXTENSION
PURPLE ALTERNATIVE

0 100 200 Feet

N

Texas Department of Transportation

FIGURE 1-13
APR 2022



NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
PURPLE ALTERNATIVE













0 100 200 Feet

N

Texas Department of Transportation


FIGURE 1-14
APR 2022




-  IMPACTED RECEIVER
-  NON-IMPACTED RECEIVER
-  VALIDATION LOCATIONS
-  PROPOSED BARRIER
-  NOT PROPOSED BARRIER
-  BENEFITED RECEIVER
-  COMMERCIAL DISPLACEMENT
-  RESIDENTIAL DISPLACEMENT
-  EXISTING ROW
-  PROPOSED ROW
-  PROPOSED IMPROVEMENTS
-  66 dB(A) IMPACT CONTOUR LINE

SPUR 399 EXTENSION
ORANGE ALTERNATIVE

FIGURE 2-1
APR 2022





- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE

NOISE IMPACTS AND RECEIVERS


SPUR 399 EXTENSION
ORANGE ALTERNATIVE

0 100 200 Feet

N

TEXAS
Department
of Transportation

FIGURE 2-3
APR 2022



- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE

NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
ORANGE ALTERNATIVE

0 100 200 Feet

N









FIGURE 2-4
APR 2022









FIGURE 2-7
APR 2022



- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE

NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
ORANGE ALTERNATIVE




FIGURE 2-8
APR 2022



- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE


NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
ORANGE ALTERNATIVE

0 100 200 Feet



FIGURE 2-9
APR 2022



- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE

NOISE IMPACTS AND RECEIVERS


SPUR 399 EXTENSION
ORANGE ALTERNATIVE

0 100 200 Feet

N



FIGURE 2-10
APR 2022



- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- - NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE

NOISE IMPACTS AND RECEIVERS


SPUR 399 EXTENSION
ORANGE ALTERNATIVE

0 100 200 Feet

N

Texas Department of Transportation

FIGURE 2-11
APR 2022



- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- - NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE

NOISE IMPACTS AND RECEIVERS




SPUR 399 EXTENSION
ORANGE ALTERNATIVE




0 100 200 Feet

N

TEXAS
Department
of Transportation

FIGURE 2-12
APR 2022







- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE

NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
ORANGE ALTERNATIVE

0 100 200 Feet



FIGURE 2-15
APR 2022



- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE

NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
ORANGE ALTERNATIVE

0 100 200 Feet

N





FIGURE 2-16
APR 2022



- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE

NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
ORANGE ALTERNATIVE

0 100 200 Feet



FIGURE 2-17
APR 2022





FIGURE 2-18
APR 2022



- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE


NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
ORANGE ALTERNATIVE

0 100 200 Feet



FIGURE 2-19
APR 2022



- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE

NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
ORANGE ALTERNATIVE

0 100 200 Feet



FIGURE 2-20
APR 2022



- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE


NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
ORANGE ALTERNATIVE

0 100 200 Feet



FIGURE 2-21
APR 2022



- IMPACTED RECEIVER
- NON-IMPACTED RECEIVER
- VALIDATION LOCATIONS
- PROPOSED BARRIER
- NOT PROPOSED BARRIER
- BENEFITED RECEIVER
- COMMERCIAL DISPLACEMENT
- RESIDENTIAL DISPLACEMENT
- EXISTING ROW
- PROPOSED ROW
- PROPOSED IMPROVEMENTS
- 66 dB(A) IMPACT CONTOUR LINE

NOISE IMPACTS AND RECEIVERS

SPUR 399 EXTENSION
ORANGE ALTERNATIVE

0 100 200 Feet




FIGURE 2-22
APR 2022

Attachment B – Traffic Figures


Legend:


- Study Corridor US 380
- Signalized Crossroads, frontage road, ramps
- Stop controlled/free two-way driveway or roadway crossing or running parallel
- US 75




N

TMC Collected on 2/4/2020
AM Peak 7:15AM-8:15AM
PM Peak 4:45PM-5:45PM
Streetlight data, whole year 2019, Tue-Thur
AM Peak 7:00AM-8:00AM
PM Peak 5:00PM-6:00PM
TCDS Data, year depends
AM Peak 7:15AM-8:15AM
PM Peak 4:45PM-5:45PM







DATA CALCULATIONS FOR USE IN AIR & NOISE ANALYSIS

FHWA Format Vehicle Class. Counts		
Light	Motorcycles	89
Duty	Passenger	29453
Vehicles	Pickup or Van	8188
Single	Buses	31
Units	Other 2 Axle	1228
	3 Axles	462
	4 Axles or more	32
Truck	3-4 Axles	145
Combs.	5 Axles	719
	6 Axles or more	6
Semi-	5 Axles or less	2
Trailer-	6 Axles	0
Trailer	7 Axles or more	0

	Number	%
Light	37730	93.5
Medium	1331	3.3
Heavy	1294	3.2
Trucks	2625	6.5
SECTION 1		
US		
	ADT	DHV
Light	94.0	96.4
Medium	3.0	1.8
Heavy	3.0	1.8
Total Vehicles		
		40355
Total Trucks		
		2625
Total Singles		
		4109.5
Total Tandems		
		2016.5
AXLE FACTOR		
		2.33
SINGLE AX FACT		
		0.67



INPUT DATA FOR KIPS: AUTOMATIC

SN, ST	3, 8				
Design Periods	1	2			
Year 1	30	30			
Year 2	50	60			
ADT	47200	47200			
% Trks	6.0	6.0			
Growth Rate	1.780	1.674			
Years	20	30			
Facil Type	B	B			
S.N.	3	3			
SLAB	8	8			
Weight Sta	99999	99999			
Axle Factor	2.33	2.33			
Single Axle	0.67	0.67			

OUTPUT DATA FROM KIPS: ENTER FOR TAHD FORM

SN, ST	3, 8				
Design Periods	1	2			
ATHWLD					
% T in ATHWLD					
FLEXIBLE					
RIGID					

2050 Purple Alternative Traffic Volumes



SEE SHEET 2 OF 21

NOT TO SCALE



NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 1 OF 21

SEE SHEET 3 OF 21

SEE SHEET 4 OF 21

NOT TO SCALE



NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 2 OF 21

SEE SHEET 6 OF 21

SEE SHEET 5 OF 21

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185


SPUR 399 AND
US 75
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

SEE SHEET 2 OF 21



6,900
10,600
11,900

14,500
22,200
25,100

11,500
17,700
20,000

16,500
25,300
28,600

TO US 75 SB

TO US 75 SB

TO SAM RAYBURN TOLLWAY SB
TO SPUR 399 NB

SEE SHEET 5 OF 21

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185


SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES




LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

DATE: 7/12/2021
FILE: SPUR399_WEST_1_TRF_04.dgn



SEE SHEET 3 OF 21



SEE SHEET 4 OF 21

TO US 75 SB

14,500
22,200
25,100

TO SPUR 399 NB

16,500
25,300
28,600

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES



Kimley»Horn

F-928

0364-04-051 SHEET 5 OF 21

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



NOTE:
BEGIN STUDY LIMITS

NOT TO SCALE


NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES




LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 6 OF 21

SEE SHEET 8 OF 21



NOT TO SCALE



NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 7 OF 21

SEE SHEET 9 OF 21

NOT TO SCALE


NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
MEDICAL CENTER DR
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 8 OF 21

SEE SHEET 10 OF 21

9,200
13,800
15,600
←

30,800
47,200
53,300
←

30,000
46,000
52,000
→

→
8,200
12,500
14,200

900
1,400
1,600
←

39,100
59,600
67,300
←

31,600
48,500
54,800
→

→
4,700
7,100
8,100

SPUR 399 SB FR

SPUR 399 SB

SPUR 399 NB

SPUR 399 NB FR

← 8,300
12,400
14,000

1,900
2,900
3,300 →

TO SPUR 399 NB FR
3,500
5,400
6,100 →

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES

Kimley»Horn
F-928

0364-04-051 SHEET 9 OF 21




NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
SH 5
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES

Kimley»Horn
F-928

0364-04-051 SHEET 10 OF 21



SEE SHEET 10 OF 21

SEE SHEET 12 OF 21

9,400
14,600
16,500

39,100
59,600
67,300

31,600
48,500
54,800

17,700
27,100
30,700

15,800
24,300
27,400

400
700
800

2,900
4,700
5,200

900
1,600
1,700

STEWART RD

2,000
3,100
3,500

3,500
5,300
5,800

1,300
2,000
2,100

6,700
10,100
11,500

100
200
300

8,500
13,000
14,700

SPUR 399 SB FR

1,400
2,200
2,500

2,200
3,300
3,700

400
700
800

39,100
59,600
67,300

SPUR 399 SB

15,800
24,200
27,400

SPUR 399 NB

TO SH 5/
S MCDONALD ST NB

15,800
24,300
27,400

SPUR 399 NB FR

3,500
5,300
5,900

13,600
20,700
23,100

200
400
900

100
200
300

100
200
300

16,100
24,700
27,700

300
600
1,200

200
400
600

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
STEWART RD
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES


Kimley»Horn

F-928

0364-04-051 SHEET 11 OF 21

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 11 OF 21

8,500
13,000
14,700

39,100
59,600
67,300

15,800
24,200
27,400

15,800
24,300
27,400

16,100
24,700
27,700

SPUR 399 SB FR FROM SH 5/MCDONALD ST

12,600
19,100
21,500

26,500
40,500
45,800

SPUR 399 SB

SPUR 399 NB

TO SH 5/MCDONALD ST

TO SH 5/MCDONALD ST

TO SPUR 399 NB

2,800
4,300
4,600

15,800
24,300
27,400

15,800
24,200
27,400

13,300
20,400
23,100

SEE SHEET 13 OF 21

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES

Kimley»Horn
F-928

0364-04-051 SHEET 12 OF 21



SEE SHEET 12 OF 21

FROM SPUR 399 NB FR

26,500
40,500
45,800

15,800
24,200
27,400

13,300
20,400
23,100

26,500
40,500
45,800

SPUR 399 SB

SPUR 399 NB

29,100
44,600
50,500

SEE SHEET 14 OF 21

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES


Kimley»Horn

F-928

0364-04-051 SHEET 13 OF 21

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



NOT TO SCALE


NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 14 OF 21

SEE SHEET 16 OF 21

2,100
3,300
3,700

20,800
31,900
35,900

5,700
8,600
9,900

25,500
39,100
44,200

5,700
8,800
9,900

100
200
300

4,300
6,800
7,400
700
900
1,100
600
900
1,100

1,600
2,400
2,800

4,900
7,500
8,500

8,900
13,500
15,600

INDUSTRIAL
BLVD

4,000
6,000
7,100

9,400
14,600
16,300

3,900
6,000
6,800

1,800
2,700
3,100

900
1,500
1,600

1,000
1,500
1,700

5,500
8,600
9,500

100
200
300

6,700
10,400
11,800

SPUR 399 SB FR

20,800
31,900
35,900

SPUR 399 SB

SPUR 399 NB

25,500
39,100
44,200

SPUR 399 NB FR

5,300
8,000
9,400

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
INDUSTRIAL BLVD
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES

Kimley»Horn
F-928

0364-04-051 SHEET 15 OF 21

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

DATE: 7/12/2021
FILE: SPUR399_WEST_1_TRF_16.dgn

SEE SHEET 15 OF 21

6,700
10,400
11,800
←

20,800
31,900
35,900
←

→
25,500
39,100
44,200

→
5,300
8,000
9,400

6,800
10,600
11,600
←

→
5,300
8,100
9,200

2,000 500
3,000 800
3,400 1,000
↙ ↓

2,500
3,800
4,400
↓

1,100 1,100
1,600 1,700
2,000 2,000
↓ ↘

1,600
2,400
2,800
2,100
3,600
3,700
1,600
2,000
2,900
↘ ↙

2,700
3,600
4,900
↓

PRIVATE ROAD

↑
2,800
4,100
4,800

1,600
2,300
2,800
3,000
←
4,800
5,400
1,700
↙
2,500
3,000

1,700 1,200
2,600 1,800
3,000 2,000
↘ ↙

↑
1,300 1,000
2,000 1,400
2,200 1,500
↘ ↙

↑
2,300
3,400
3,700

13,100
20,200
22,800
←

SPUR 399 SB FR

14,000
21,300
24,300
←

SPUR 399 SB

SPUR 399 NB

→
20,200
31,000
35,000

SPUR 399 NB FR

→
9,500
14,800
16,400

SEE SHEET 17 OF 21



NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185


SPUR 399 AND
PRIVATE ROAD
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES

Kimley»Horn
F-928

0364-04-051 SHEET 16 OF 21

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 16 OF 21

SEE SHEET 18 OF 21

13,100
20,200
22,800

14,000
21,300
24,300

20,200
31,000
35,000

9,500
14,800
16,400

5,300
8,200
9,100

3,300
5,100
5,800

7,800
12,000
13,700

19,300
29,500
33,400

23,500
36,100
40,800

6,200
9,700
10,600

SPUR 399 SB FR

SPUR 399 SB

SPUR 399 NB

SPUR 399 NB FR

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES




LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 17 OF 21

SEE SHEET 19 OF 21



NOT TO SCALE



NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
FUTURE ELM ST
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 18 OF 21

SEE SHEET 20 OF 21

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185


SPUR 399 AND
GREENVILLE RD/ ENLOE RD
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES

Kimley»Horn
F-928

0364-04-051 SHEET 19 OF 21

LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 19 OF 21

4,200
6,500
7,300

SPUR 399 SB FR/
AIRPORT RD

23,500
36,000
40,700

19,300
29,500
33,400

SPUR 399 SB

SEE SHEET 21 OF 21

SPUR 399 NB

23,500
36,100
40,800

SPUR 399 NB FR/
AIRPORT RD

NOT TO SCALE

3,200
4,900
5,400

26,700
41,000
46,200

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

LEGEND


XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES

Kimley»Horn

F-928

0364-04-051 SHEET 20 OF 21



SEE SHEET 20 OF 21

SPUR 399 SB FR/
AIRPORT RD

SPUR 399 NB FR/
AIRPORT RD

E UNIVERSITY DR

23,500
36,000
40,700

26,700
41,000
46,200

30,200
45,200
51,700

30,000
45,000
51,500

5,900 24,300
9,000 36,200
10,200 41,500

9,300
14,400
16,200
17,400
26,600
30,000

17,600 20,700
27,000 30,600
30,500 35,300

41,700
62,800
71,500

38,300
57,600
65,800

LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHRUVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
E UNIVERSITY DR
AVERAGE DAILY TRAFFIC
WEST 1 OPTION BUILD VOLUMES



TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

November 8, 2021

[illegible]

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

November 8, 2021

									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2050			ADT	DHV								
<u>Spur 399/ Scenario West 1/Mainlanes/ Option C</u> <u>Section 3</u> From Ramps, Northeast of Medical Center Dr To Steward Rd. Collin County			70,700	108,100	54 - 46	11.6	4.7	3.1	12,200	30	11,013,500	3	13,976,000	8"
Data for Use in Air & Noise Analysis														
Vehicle Class			Base Year											
			% of ADT	% of DHV										
Light Duty			95.3		96.9									
Medium Duty			2.4		1.6									
Heavy Duty			2.3		1.5									
									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2060			ADT	DHV								
<u>Spur 399/ Scenario West 1/Mainlanes/ Option C</u> <u>Section 3</u> From Ramps, Northeast of Medical Center Dr To Steward Rd. Collin County			70,700	122,100	54 - 46	11.6	4.7	3.1	12,300	30	17,814,000	3	22,606,000	8"

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

November 8, 2021

										Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)				
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2050			ADT	DHV								
<u>Spur 399/ Scenario West 1/ Mainlanes/Option C</u> <u>Section 4</u> From Stewart Rd. To Private Drive Collin County			55,600	85,100	54 - 46	11.6	5.6	3.7	12,200	30	10,295,500	3	13,083,500	8"
Data for Use in Air & Noise Analysis														
		Base Year												
Vehicle Class		% of ADT		% of DHV										
Light Duty		94.4		96.3										
Medium Duty		2.8		1.8										
Heavy Duty		2.8		1.9										
										Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)				
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2060			ADT	DHV								
<u>Spur 399/ Scenario West 1/ Mainlanes/Option C</u> <u>Section 4</u> From Stewart Rd. To Private Drive Collin County			55,600	96,300	54 - 46	11.6	5.6	3.7	12,300	30	16,672,500	3	21,188,000	8"

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

November 8, 2021

										Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)			
				Base Year				ATHWLD	Percent Tandem Axles in ATHWLD				
Description of Location		Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB
		2030	2050			ADT	DHV						
<u>Spur 399/ Scenario West 1/ Mainlanes/Option C</u> <u>Section 5</u> From Private Rd. To North of Greenville Rd. Collin County		42,800	65,600	54 - 46	11.6	5.8	3.8	12,100	30	8,211,000	3	10,437,000	8"
Data for Use in Air & Noise Analysis													
Vehicle Class		Base Year											
		% of ADT		% of DHV									
Light Duty		94.2		96.2									
Medium Duty		2.9		1.9									
Heavy Duty		2.9		1.9									
										Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)			
				Base Year				ATHWLD	Percent Tandem Axles in ATHWLD				
Description of Location		Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB
		2030	2060			ADT	DHV						
<u>Spur 399/ Scenario West 1/ Mainlanes/Option C</u> <u>Section 5</u> From Private Rd. To North of Greenville Rd. Collin County		42,800	74,200	54 - 46	11.6	5.8	3.8	12,100	30	13,293,500	3	16,898,000	8"

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

November 8, 2021

									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2050			ADT	DHV								
<u>Spur 399/ Scenario West 1 / Frontage Road/Option C</u> Section 1 From US 75 To West of Medical Center Dr. Collin County			35,400	53,700	54 - 46	11.6	3.4	2.6	11,500	30	3,472,000	3	4,138,500	8"
Data for Use in Air & Noise Analysis														
Vehicle Class		Base Year												
		% of ADT	% of DHV											
Light Duty		96.6	97.4											
Medium Duty		1.7	1.3											
Heavy Duty		1.7	1.3											
									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2060			ADT	DHV								
<u>Spur 399/ Scenario West 1 / Frontage Road/Option C</u> Section 1 From US 75 To West of Medical Center Dr. Collin County			35,400	60,900	54 - 46	11.6	3.4	2.6	11,500	30	5,629,000	3	6,709,500	8"

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

November 8, 2021

									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2050			ADT	DHV								
<u>Spur 399/ Scenario West 1 /Frontage Rd./ Option C</u> Section 3 From SH 5 To SH 5/McDonald St. Collin County			27,100	41,700	54 - 46	11.6	3.7	2.8	11,300	30	2,910,500	3	3,473,000	8"
Data for Use in Air & Noise Analysis														
Vehicle Class		Base Year												
		% of ADT	% of DHV											
Light Duty		96.3		97.2										
Medium Duty		1.9		1.4										
Heavy Duty		1.8		1.4										
									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2060			ADT	DHV								
<u>Spur 399/ Scenario West 1 /Frontage Rd./ Option C</u> Section 3 From SH 5 To SH 5/McDonald St. Collin County			27,100	47,200	54 - 46	11.6	3.7	2.8	11,400	30	4,715,000	3	5,626,000	8"

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

November 8, 2021

									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2050			ADT	DHV								
<u>Spur 399/ Scenario West 1 /Frontage rd./ Option C</u> Section 4 From South of Industrial Blvd To Private Rd Collin County			13,500	20,700	54 - 46	11.6	3.7	2.8	10,900	40	1,446,500	3	1,726,500	8"
Data for Use in Air & Noise Analysis														
Vehicle Class		Base Year												
		% of ADT	% of DHV											
Light Duty		96.3		97.2										
Medium Duty		1.9		1.4										
Heavy Duty		1.8		1.4										
									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2060			ADT	DHV								
<u>Spur 399/ Scenario West 1 /Frontage rd./ Option C</u> Section 4 From South of Industrial Blvd To Private Rd Collin County			13,500	23,500	54 - 46	11.6	3.7	2.8	10,900	40	2,348,000	3	2,801,500	8"



TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

November 8, 2021

									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2050			ADT	DHV								
<u>Spur 399/ Scenario West 1/Frontage Rd. / Option C</u> <u>Section 5</u> From Private Rd. To Future Elm St Collin County			22,600	35,000	54 - 46	11.6	3.5	2.6	11,100	30	2,308,500	3	2,752,500	8"
Data for Use in Air & Noise Analysis														
Vehicle Class		Base Year												
		% of ADT	% of DHV											
Light Duty		96.5		97.4										
Medium Duty		1.8		1.4										
Heavy Duty		1.7		1.2										
									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2060			ADT	DHV								
<u>Spur 399/ Scenario West 1/Frontage Rd. / Option C</u> <u>Section 5</u> From Private Rd. To Future Elm St Collin County			22,600	39,200	54 - 46	11.6	3.5	2.6	11,200	30	3,715,500	3	4,430,500	8"

2050 Orange Alternative Traffic Volumes



SEE SHEET 2 OF 27

NOT TO SCALE



NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 1 OF 27

SEE SHEET 3 OF 27

SEE SHEET 4 OF 27

NOT TO SCALE



NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 2 OF 27

SEE SHEET 6 OF 27

SEE SHEET 5 OF 27

NOT TO SCALE


NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
US 75
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



6,900
10,600
11,900



14,500
22,200
25,100



11,500
17,700
20,000



16,500
25,300
28,600



TO US 75 SB

TO US 75 SB

TO SAM RAYBURN TOLLWAY SB
TO SPUR 399 NB

SEE SHEET 5 OF 27

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHRUVA LAHON, P.E.
SERIAL NUMBER 102185


SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES

Kimley»Horn


F-928

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 3 OF 27



SEE SHEET 4 OF 27

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES



Kimley»Horn

F-928

0364-04-051 SHEET 5 OF 27

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 3 OF 27

SEE SHEET 7 OF 27

NOTE:
BEGIN STUDY LIMITS

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES


Kimley»Horn

F-928

0364-04-051 SHEET 6 OF 27


LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 6 OF 27

SEE SHEET 8 OF 27



NOT TO SCALE



NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



NOT TO SCALE


NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
MEDICAL CENTER DR
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 8 OF 27

SEE SHEET 10 OF 27

9,200
13,800
15,600
←

900
1,400
1,600
←

30,800
47,200
53,300
←

← 8,300
12,400
14,000

SPUR 399 SB FR

39,100
59,600
67,300
←

SPUR 399 SB

30,000
46,000
52,000
→

31,600
48,500
54,800
→

SPUR 399 NB

1,900
2,900
3,300
→

TO SPUR 399 NB FR

3,500
5,400
6,100
→

SPUR 399 NB FR

→ 8,200
12,500
14,200

→ 4,700
7,100
8,100

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES



Kimley»Horn
F-928

0364-04-051 SHEET 9 OF 27

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

DATE: 7/12/2021
FILE: SPUR399-EAST_TRF_09.dgn



SEE SHEET 9 OF 27

SEE SHEET 11 OF 27

NOT TO SCALE


NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
SH 5/ GREENVILLE DR
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES

Kimley»Horn

F-928

LEGEND			
XXXX-	2030	AVERAGE DAILY TRAFFIC VOLUMES	
- XXX-	2050	AVERAGE DAILY TRAFFIC VOLUMES	
- XX-	2060	AVERAGE DAILY TRAFFIC VOLUMES	



SEE SHEET 10 OF 27

SEE SHEET 12 OF 27

7,300
11,600
13,100

39,100
59,600
67,300

31,600
48,500
54,800

15,400
23,600
26,800

13,200
20,300
23,000

400
700
800

2,900
4,700
5,200

3,200
4,800
5,300

900
1,600
1,700

2,000
3,100
3,500

1,000
1,500
1,600

4,600
7,100
8,100

100
200
300

6,100
9,500
10,800

SPUR 399 SB FR

1,400
2,200
2,500

2,200
3,300
3,700

400
700
800

39,100
59,600
67,300

SPUR 399 SB

18,400
28,200
31,800

SPUR 399 NB

TO SH 5/
S MCDONALD ST NB

13,200
20,300
23,000

SPUR 399 NB FR

3,500
5,300
5,900

11,300
17,200
19,200

200
400
900

100
200
300

100
200
300

13,800
21,200
23,800

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
STEWART RD
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES

Kimley»Horn



F-928

0364-04-051 SHEET 11 OF 27

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

DATE: 7/12/2021
FILE: SPUR399-EAST_TRF-11.dgn



SEE SHEET 11 OF 27

SEE SHEET 13 OF 27

LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES

Kimley»Horn

F-928



SEE SHEET 12 OF 27

FROM SPUR 399 NB FR

26,500
40,500
45,800

18,400
28,200
31,800

10,700
16,400
18,700

26,500
40,500
45,800

SPUR 399 SB

SPUR 399 NB

29,100
44,600
50,500

SEE SHEET 14 OF 27

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES


Kimley»Horn

F-928

0364-04-051 SHEET 13 OF 27

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



HARRY MCKILLOP BLVD

TO SPUR 399 NB FR

FROM SPUR 399 FR SB

SEE SHEET 13 OF 27

SEE SHEET 15 OF 27

SPUR 399 SB

SPUR 399 NB

26,500
40,500
45,800

3,900
6,000
6,800

7,900
12,200
13,800

29,100
44,600
50,500

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES


Kimley»Horn

F-928

0364-04-051 SHEET 14 OF 27


LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 14 OF 27

SEE SHEET 16 OF 27



NOT TO SCALE


NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES



LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 15 OF 27

SEE SHEET 17 OF 27

4,400
6,900
7,700
←

30,000
45,800
51,900
←

→
26,300
40,300
45,700

→
6,700
10,300
11,600

4,200
6,300
7,000

COUNTRY LN/
AIRPORT DR

6,200
9,500
10,500

1,400 2,800
2,100 4,200
2,400 4,600

3,500
5,400
6,300

2,800
4,400
4,600

100
200
300

6,500
10,200
11,500
←

100
200
400

2,700
4,100
4,200

100
200
300

SPUR 399 SB FR
30,000
45,800
51,900
←

SPUR 399 SB

SPUR 399 NB

→
26,300
40,300
45,700

SPUR 399 NB FR

2,800
4,300
4,600

3,800
5,800
6,700

→
6,800
10,400
11,900

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185


SPUR 399 AND
COUNTRY LN/ AIRPORT DR
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES

Kimley»Horn

F-928

LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 16 OF 27

6,500
10,200
11,500
←

30,000
45,800
51,900
←

6,500
10,200
11,500
←

SPUR 399 SB FR
30,000
45,800
51,900
←

SPUR 399 SB

SPUR 399 NB

→
26,300
40,300
45,700

→
26,300
40,300
45,700

SPUR 399 NB FR

→
6,800
10,400
11,900

6,500
9,900
11,200
300
500
700

↻
300
500
600

→
6,800
10,400
11,800

COUNTRY LN

SEE SHEET 18 OF 27

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHRUVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
COUNTRY LN
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES

Kimley»Horn

F-928

0364-04-051 SHEET 17 OF 27


LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 17 OF 27

SEE SHEET 19 OF 27



6,500
10,200
11,500

30,000
45,800
51,900

26,300
40,300
45,700

6,800
10,400
11,800

300
600
700
6,200
9,700
10,900

21,500
33,600
37,800

15,000
23,300
26,200

15,000
22,500
25,700

17,500
23,900
27,100

15,600
26,800
30,400

SPUR 399 SB FR

SPUR 399 SB

SPUR 399 NB

SPUR 399 NB FR

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
HARRY MCKILLOP BLVD
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES

Kimley»Horn

F-928

0364-04-051 SHEET 18 OF 27

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 18 OF 27

SEE SHEET 20 OF 27

21,500
33,600
37,800

15,000
22,500
25,700

17,500
23,900
27,100

15,600
26,800
30,400

300 1,300
500 1,800
600 2,100

1,600
2,300
2,700

1,100
1,700
2,100

100
200
300

8,000
12,800
14,100
1,200
1,700
1,900

9,400
14,900
16,600

SPUR 399 SB FR

15,000
22,500
25,700

SPUR 399 SB

SPUR 399 NB

17,500
23,900
27,100

SPUR 399 NB FR

9,000
16,200
18,400

100
200
300

2,000 500
2,800 700
3,200 800

1,100
1,900
2,200
4,800
9,800
11,200
9,600
14,900
16,700

11,600
17,700
19,900

COUNTY RD 317

13,000 3,600
19,700 5,500
22,400 6,100

16,600
25,200
28,500

LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
CR 317/ FM 546
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES





SEE SHEET 19 OF 27

9,400
14,900
16,600

15,000
22,500
25,700

17,500
23,900
27,100

9,000
16,200
18,400

2,100
3,300
3,700

1,200
4,300
4,800

7,300
11,600
12,900

SPUR 399 SB FR

17,100
25,800
29,400

SPUR 399 SB

SPUR 399 NB

18,700
28,200
31,900

SPUR 399 NB FR

7,800
11,900
13,600

SEE SHEET 21 OF 27

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHRUVA LAHON, P.E.
SERIAL NUMBER 102185


SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES

Kimley»Horn
F-928

0364-04-051 SHEET 20 OF 27


LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 20 OF 27

SEE SHEET 22 OF 27



LEGEND

XXXX-	2030	AVERAGE	DAILY	TRAFFIC	VOLUMES
-XXXX-	2050	AVERAGE	DAILY	TRAFFIC	VOLUMES
-XXXX-	2060	AVERAGE	DAILY	TRAFFIC	VOLUMES

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHRUVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
FM 546
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES



DATE: 7/26/2021
FILE: SPUR399-EAST_TRF_22.dgn

SEE SHEET 21 OF 27

5,700
9,100
10,300
←

17,100
25,800
29,400
←

→
18,700
28,200
31,900

→
6,200
9,800
11,100

8,000
12,700
14,300
←

14,800
22,200
25,400
←

→
17,000
25,700
29,100

→
7,900
12,300
13,900

SPUR 399 SB FR

SPUR 399 SB

SPUR 399 NB

SPUR 399 NB FR

2,300
3,600
4,000
←

1,700
2,500
2,800
→

SEE SHEET 23 OF 27



NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES

Kimley»Horn
F-928

0364-04-051 SHEET 22 OF 27

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

DATE: 7/26/2021
FILE: SPUR399-EAST_TRF_23.dgn

SEE SHEET 22 OF 27

8,000
12,700
14,300

14,800
22,200
25,400

17,000
25,700
29,100

7,900
12,300
13,900

100
300
400

OLD ENLOE RD

100
300
400

100
200
300

100
200
300

7,900
12,400
13,900

8,000
12,600
14,200

SPUR 399 SB FR

14,800
22,200
25,400

SPUR 399 SB

SPUR 399 NB

SPUR 399 NB FR

17,000
25,700
29,100

7,900
12,300
13,900

7,800
12,100
13,600


100
200
300

OLD ENLOE RD

100
200
300

100
200
300

100
200
300



SEE SHEET 24 OF 27

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHRUVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
OLD ENLOE RD
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES


Kimley»Horn

F-928

0364-04-051 SHEET 23 OF 27


LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 23 OF 27

SEE SHEET 25 OF 27



NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES


Kimley»Horn

F-928

0364-04-051 SHEET 24 OF 27

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 24 OF 27

SEE SHEET 26 OF 27

1,400
2,200
2,600

21,400
32,600
37,000

23,100
35,300
39,900

1,800
2,700
3,100

1,100
1,700
1,900

700
1,100
1,200

1,100
1,600
1,800
600
900
1,000

ENLOE RD

2,400
2,900
3,800

1,400
1,500
2,300

500
700
800

100
200
300

1,000
1,400
1,500

500
800
1,000

2,100
2,600
3,700

21,400
32,600
37,000

23,100
35,300
39,900

1,200
1,900
2,300

SPUR 399 SB FR

SPUR 399 SB

SPUR 399 NB

SPUR 399 NB FR

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
ENLOE RD
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES

Kimley»Horn

F-928

0364-04-051 SHEET 25 OF 27

LEGEND

- XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

DATE: 7/12/2021
FILE: SPUR399-EAST_TRF_26.dgn

SEE SHEET 25 OF 27

2,100
2,600
3,700
←

21,400
32,600
37,000
←

→
23,100
35,300
39,900

→
1,200
1,900
2,300

SPUR 399 SB

SPUR 399 NB

23,500
35,200
40,700
←

SPUR 399 SB FR

SPUR 399 NB FR

→
24,300
37,200
42,200

SEE SHEET 27 OF 27



NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
RAMPS
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES


Kimley»Horn

F-928

0364-04-051 SHEET 26 OF 27

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES



SEE SHEET 26 OF 27

23,500
35,200
40,700

24,300
37,200
42,200

SPUR 399 SB FR

SPUR 399 NB FR

41,800
62,600
74,800

38,300
57,600
73,300

30,800
45,900
53,800

11,000
16,700
21,000

9,500
14,100
16,200

4,400
6,700
7,600

FM 1827/
NEW HOPE RD

28,800
43,500
57,100

3,100
4,800
5,400

9,400
14,200
16,400

25,800
38,400
45,000

11,700
17,900
20,300

12,600
19,300
21,900

14,100
21,000
24,300

20,200
30,400
42,200

38,400
57,700
66,900

34,300
51,400
66,500

E UNIVERSITY DR

LEGEND

XXXX- 2030 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2050 AVERAGE DAILY TRAFFIC VOLUMES
- XXXX- 2060 AVERAGE DAILY TRAFFIC VOLUMES

NOT TO SCALE

NOT INTENDED FOR CONSTRUCTION,
BIDDING OR PERMIT PURPOSES
DHURVA LAHON, P.E.
SERIAL NUMBER 102185

SPUR 399 AND
E UNIVERSITY DR
AVERAGE DAILY TRAFFIC
EAST OPTION BUILD VOLUMES

Kimley»Horn

F-928

0364-04-051 SHEET 27 OF 27

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2050			ADT	DHV								
<u>Spur 399/ Scenario East-Option C/ Mainlanes</u>														
<u>Section 1</u>														
From US 75 To Direct Connector, Northeast of US 75 Collin County			29,800	45,700	54 - 46	11.6	7.7	5.1	12,000	30	7,564,000	3	9,632,000	8"
Data for Use in Air & Noise Analysis														
Vehicle Class			Base Year											
			% of ADT	% of DHV										
Light Duty			92.3		94.9									
Medium Duty			3.9		2.6									
Heavy Duty			3.8		2.5									
									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2060			ADT	DHV								
<u>Spur 399/ Scenario East-Option C/ Mainlanes</u>														
<u>Section 1</u>														
From US 75 To Direct Connector, Northeast of US 75 Collin County			29,800	51,600	54 - 46	11.6	7.7	5.1	12,100	30	12,232,500	3	15,577,000	8"

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

										Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)			
		Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks		ATHWLD	Percent Tandem Axles in ATHWLD	Flexible Pavement	S N	Rigid Pavement	SLAB
Description of Location		2030	2050			ADT	DHV						
<u>Spur 399/Scenario East/Option C/Mainlanes</u> <u>Section 2</u> From Direct Connectors, Northeast of US 75 To Ramps, Northeast of Medical Center Dr. Collin County		60,800	93,200	54 - 46	11.6	5.3	3.5	12,200	30	10,674,500	3	13,559,500	8"
Data for Use in Air & Noise Analysis													
Vehicle Class		Base Year											
		% of ADT		% of DHV									
Light Duty		94.7		96.5									
Medium Duty		2.7		1.8									
Heavy Duty		2.6		1.7									
										Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)			
		Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks		ATHWLD	Percent Tandem Axles in ATHWLD	Flexible Pavement	S N	Rigid Pavement	SLAB
Description of Location		2030	2060			ADT	DHV						
<u>Spur 399/Scenario East/Option C/Mainlanes</u> <u>Section 2</u> From Direct Connectors, Northeast of US 75 To Ramps, Northeast of Medical Center Dr. Collin County		60,800	105,300	54 - 46	11.6	5.3	3.5	12,300	30	17,270,000	3	21,937,500	8"

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

[illegible]

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2050			ADT	DHV								
<u>Spur 399/ Scenario East/ Option C/ Mainlanes</u>														
<u>Section 4</u>														
From Stewart Rd. To Harry McKillop Blvd East			57,500	87,800	54 - 46	11.6	5.5	3.6	12,200	30	10,445,000	3	13,272,000	8"
Collin County														
Data for Use in Air & Noise Analysis														
Vehicle Class			Base Year											
			% of ADT	% of DHV										
Light Duty			94.5		96.4									
Medium Duty			2.8		1.8									
Heavy Duty			2.7		1.8									
									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2060			ADT	DHV								
<u>Spur 399/ Scenario East/ Option C/ Mainlanes</u>														
<u>Section 4</u>														
From Stewart Rd. To Harry McKillop Blvd East			57,500	99,100	54 - 46	11.6	5.5	3.6	12,300	30	16,886,500	3	21,456,500	8"
Collin County														

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

										Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)			
		Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks		ATHWLD	Percent Tandem Axles in ATHWLD	Flexible Pavement	S N	Rigid Pavement	SLAB
Description of Location		2030	2050			ADT	DHV						
<u>Spur 399/ Scenario East/ Option C/ mainlanes</u> <u>Section 5</u> From Harry McKillop Blvd East To Old Enloe Rd. Collin County		35,800	54,000	54 - 46	11.6	6.9	4.6	12,100	30	8,072,500	3	10,273,000	8"
Data for Use in Air & Noise Analysis													
		Base Year											
Vehicle Class		% of ADT		% of DHV									
Light Duty		93.1		95.4									
Medium Duty		3.5		2.3									
Heavy Duty		3.4		2.3									
										Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)			
		Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks		ATHWLD	Percent Tandem Axles in ATHWLD	Flexible Pavement	S N	Rigid Pavement	SLAB
Description of Location		2030	2060			ADT	DHV						
<u>Spur 399/ Scenario East/ Option C/ mainlanes</u> <u>Section 5</u> From Harry McKillop Blvd East To Old Enloe Rd. Collin County		35,800	61,300	54 - 46	11.6	6.9	4.6	12,100	30	13,093,500	3	16,662,500	8"

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

[illegible]

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

[illegible]

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

										Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)			
				Base Year				ATHWLD	Percent Tandem Axles in ATHWLD				
Description of Location		Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB
		2030	2050			ADT	DHV						
<u>Spur 399/ Scenario East /Frontage Road/ Option C</u> <u>Section 2</u> From Medical Center Dr To SH 5 Collin County		17,400	26,300	54 - 46	11.6	3.4	2.6	11,000	30	1,702,500	3	2,029,500	8"
Data for Use in Air & Noise Analysis													
		Base Year											
Vehicle Class		% of ADT		% of DHV									
Light Duty		96.6		97.4									
Medium Duty		1.7		1.3									
Heavy Duty		1.7		1.3									
										Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)			
				Base Year				ATHWLD	Percent Tandem Axles in ATHWLD				
Description of Location		Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB
		2030	2060			ADT	DHV						
<u>Spur 399/ Scenario East /Frontage Road/ Option C</u> <u>Section 2</u> From Medical Center Dr To SH 5 Collin County		17,400	29,800	54 - 46	11.6	3.4	2.6	11,000	30	2,759,000	3	3,288,500	8"

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

[illegible]

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2050			ADT	DHV								
<u>Spur 399/ Scenario East / Frontage Road/Option C</u> <u>Section 4</u> From Harry McKillop Blvd West To Harry McKillop Blvd East Collin County			13,300	20,600	54 - 46	11.6	3.8	2.9	10,900	40	1,471,500	3	1,756,500	8"
Data for Use in Air & Noise Analysis														
		Base Year												
Vehicle Class		% of ADT		% of DHV										
Light Duty		96.2		97.1										
Medium Duty		1.9		1.4										
Heavy Duty		1.9		1.5										
									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2060			ADT	DHV								
<u>Spur 399/ Scenario East / Frontage Road/Option C</u> <u>Section 4</u> From Harry McKillop Blvd West To Harry McKillop Blvd East Collin County			13,300	23,400	54 - 46	11.6	3.8	2.9	10,900	40	2,390,000	3	2,853,000	8"

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2050			ADT	DHV								
<u>Spur 399/ Scenario East / Frontage Road/Option C</u> <u>Section 5</u> From Harry McKillop Blvd East To FM 546 / CR 317 Collin County			37,100	60,400	54 - 46	11.6	3.5	2.6	11,600	30	3,908,000	3	4,660,000	8"
Data for Use in Air & Noise Analysis														
Vehicle Class		Base Year												
		% of ADT	% of DHV											
Light Duty		96.5		97.4										
Medium Duty		1.8		1.4										
Heavy Duty		1.7		1.2										
									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2060			ADT	DHV								
<u>Spur 399/ Scenario East / Frontage Road/Option C</u> <u>Section 5</u> From Harry McKillop Blvd East To FM 546 / CR 317 Collin County			37,100	68,200	54 - 46	11.6	3.5	2.6	11,700	30	6,331,000	3	7,549,000	8"

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2050			ADT	DHV								
<u>Spur 399/ Scenario East /Frontage Road/ Option C</u> Section 6 From FM 546/CR 317 To Ramps, North of Old Enloe Rd. Collin County			18,400	31,100	54 - 46	11.6	3.8	2.9	11,100	30	2,149,000	3	2,565,000	8"
Data for Use in Air & Noise Analysis														
Vehicle Class		Base Year												
		% of ADT	% of DHV											
Light Duty		96.2	97.1											
Medium Duty		1.9	1.4											
Heavy Duty		1.9	1.5											
									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2060			ADT	DHV								
<u>Spur 399/ Scenario East /Frontage Road/ Option C</u> Section 6 From FM 546/CR 317 To Ramps, North of Old Enloe Rd. Collin County			18,400	35,000	54 - 46	11.6	3.8	2.9	11,100	30	3,477,500	3	4,151,000	8"

TRAFFIC ANALYSIS FOR HIGHWAY DESIGN (OPTION C)

Dallas District

October 27, 2021

									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 20 Year Period (2030 to 2050)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2050			ADT	DHV								
<u>Spur 399/ Scenario East / Frontage Road/Option C</u> <u>Section 7</u> From Ramps, North of Old Enloe Rd To North of Enloe Rd Collin County			3,200	4,900	54 - 46	11.6	9.4	7.1	10,600	40	856,000	3	1,029,000	8"
Data for Use in Air & Noise Analysis														
Vehicle Class		Base Year												
		% of ADT	% of DHV											
Light Duty		90.6		92.9										
Medium Duty		4.8		3.6										
Heavy Duty		4.6		3.5										
									Total Number of Equivalent 18k Single Axle Load Applications One Direction Expected for a 30 Year Period (2030 to 2060)					
			Base Year				ATHWLD	Percent Tandem Axles in ATHWLD						
Description of Location	Average Daily Traffic		Dir Dist %	K Factor	Percent Trucks				Flexible Pavement	S N	Rigid Pavement	SLAB		
	2030	2060			ADT	DHV								
<u>Spur 399/ Scenario East / Frontage Road/Option C</u> <u>Section 7</u> From Ramps, North of Old Enloe Rd To North of Enloe Rd Collin County			3,200	5,700	54 - 46	11.6	9.4	7.1	10,700	40	1,411,000	3	1,696,500	8"

Attachment C – Existing Model Validation Study

A validation study was performed in order to verify that the existing model accurately predicts existing traffic noise based on current conditions and to ensure that traffic noise is the main source of noise. Model validation compares field-collected sound level measurements to traffic noise levels calculated in an existing condition model that used field-collected traffic parameters.

Seven validation sites were selected along the project ROW (Figure 1). Field measurements were collected on June 10th, 2021 between 8 AM and 5 PM. The weather was mostly sunny and dry, with light winds less than 12 mph. During the measurements, traffic was free-flowing and traveling at a relatively constant speed.

A sound level meter was used to measure sound levels in dB(A) Leq. The sound level meter was positioned on a tripod with the microphone facing the roadway and set at a height of five feet. The measurement duration was 30 minutes. The meter was calibrated before measurements were taken and at the end of the day.

Concurrently with the sound level measurement, traffic was counted by personnel in the field to obtain traffic counts by vehicle classification (car, medium truck, and heavy truck). Because the noise modeling software uses a vehicle per hour input, vehicle counts for the 30-minute measurement interval were multiplied by two to convert the values to the hourly condition. Weather conditions, including temperature and wind speed/direction were obtained from published meteorological information. Field data sheets are included at the end of Attachment C.

The FHWA traffic noise modeling software (TNM 2.5) was used to calculate existing traffic noise levels at each validation location, based on the field-observed conditions. The validation model run(s) used the existing roadway parameters, observed hourly traffic counts, and observed speeds.

The traffic noise model validation results are shown in **Table 1**.

Table 1. Traffic Noise Levels dB(A) Leq


Location	Validation Site	Field-Measured Level dB(A) Leq	Modeled Level dB(A) Leq	Difference (+/-)	Validated?
A	US 380 University Drive	76.2	74.6	-1.6	Yes
B	Airport Road	63.2	62.6	-0.6	Yes
C	Airport Road	65.4	65.4	0.0	Yes
E	FM 546	69.8	71.7	1.9	Yes
F	FM 317	56.9	55.1	-1.8	Yes
H	TX 399/5	71.9	71.4	-0.5	Yes
I	TX 399/5	74.3	73.0	-1.3	Yes

Differences between the measured and model-calculated sound levels were within the +/- 3 dB(A) tolerance allowed by FHWA. Therefore, the existing noise model is considered validated for this project.

Additionally, background noise measurements were taken at two locations near Enloe Road and Old Mill Road, as listed in **Table 2** below. These measurements were performed the same day and under the same conditions as described for the traffic noise measurements above.

Table 2. Background Levels dB(A) Leq

Location	Validation Site	Field-Measured Level dB(A) Leq	Modeled Level dB(A) Leq	Difference (+/-)	Validated?
D	Enloe Road	48.1	----	N/A	N/A
G	Old Mill Road	52.0	----	N/A	N/A





Posted speed 60 mph. Free-flowing traffic at speed to the extent possible due to traffic light at FM 1827 – New Hope Road. Light cycle approximately 50-55 sec red, 70-100 sec green. Slight grade eastbound affecting heavy truck gearing. Limited traffic queue at light eastbound, significant queue at light westbound ~0.4 miles (best estimate). Individual heavy truck passbys 78-82 dBA. Traffic noise dominant ; all measurements valid.

Start Time:

Stop Time:

Duration:

8:24 AM PM

8:54 AM PM

30 minutes

Wind Speed/Direction: 7-12 mph S/SE

Percentiles: _____

Temperature: 82-88 F

Humidity: 65-80% RH

Calibration results before: _____ 114.1 dBA and after _____ 114.2 dBA

Traffic Count Roadway: US 380 – University Drive EB (Top Row) and WB (Bottom Row)

Autos	Medium Trucks	Heavy Trucks	Buses	Motorcycles
470 per 29 minutes	6 per 29 minutes	70 per 29 minutes	---	1 per 29 minutes
1200-1480 per 30 minutes (40-50 likely representative per minute)	35 per 26 minutes (2-3 likely representative per minute)	16 per 26 minutes (3-4 likely representative per minute)	----	----

***Note roadway direction in table**



SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

PROJECT: 10226441 - BMCD US380 Spur399 SCH ENV

JOB NO.: 10226441

SITE/READING NO.: File 11

PERSONNEL: RMB

LOCATION/ADDRESS: LocationA

DATE: 6/10/2021


#	1 Minute Period Starting	Meas'd Leq (dBA)	✓ or X	Other Noise Sources	COMMENTS
1	8:24:19	75.5			Westbound acceleration
2	8:25:20	77.8			Vehicles stopped at light, truck acceleration uphill
3	8:26:20	76.9			Westbound acceleration
4	8:27:20	71.2			Acceleration to stop
5	8:28:19	76.3			Acceleration
6	8:29:20	74.9			
7	8:30:20	75.6			
8	8:31:20	76.6			
9	8:32:20	72.6			Stop, loud music from jeep
10	8:33:20	77.3			Flowing traffic
11	8:34:20	73.9			Flowing traffic
12	8:35:20	79.1			
13	8:36:20	73.5			Stop
14	8:37:20	78.2			Acceleration
15	8:38:20	77.2			
16	8:39:20	74.0			Stop
17	8:40:20	79.0			
18	8:41:20	73.8			
19	8:42:19	76.9			
20	8:43:20	73.4			
21	8:44:20	77.6			
22	8:45:20	72.8			
23	8:46:19	76.2			
24	8:47:20	75.8			
25	8:48:20	74.5			
26	8:49:20	77.9			
27	8:50:20	76.0			
28	8:51:20	76.1			
29	8:52:20	75.9			
30	8:53:20	76.1			

TOTAL Leq = 76.2 dBA

SUBSET Leq =

✓ = Other sources contributed to Leq X = Exclude period - contaminated by non-characteristic sources

>> ADD SKETCH AND WEATHER CONDITIONS TO REVERSE OR OTHER SHEET <<





#	Eastbound				Westbound			
	Auto	Med	Hvy	Motorcycle	Auto	Med	Hvy	Motorcycle
1	11	0	3	0	50	0	3	0
2	12	0	6	0	50	1	3	0
3	12	0	1	0	40-50	2	3	0
4	11	0	0	0	40-50	3	0	0
5	11	0	3	0	40-50	2	1	0
6	6	0	1	0	40-50	2	0	0
7	19	0	3	0	40-50	4	0	0
8	13	1	3	0	40-50	0	1	0
9	6	0	0	0	40-50	4	0	0
10	48	2	0	0	40-50	1	2	0
11	6	0	2	0	40-50	3	0	0
12	26	0	4	0	40-50	0	0	0
13	10	0	3	0	40-50	0	0	0
14	30	0	2	0	40-50	0	0	0
15	8	0	3	0	40-50	1	0	0
16	32	1	5	0	40-50	2	0	0
17	5	0	2	0	40-50	4	0	0
18	13	0	4	0	40-50	0	0	0
19	16	1	0	0	40-50	0	0	0
20	25	0	2	0	40-50	0	0	0
21	18	0	3	0	40-50	0	0	0
22	11	0	1	0	40-50	1	2	0
23	15	1	5	0	40-50	0	0	0
24	18	0	1	0	40-50	3	0	0
25	26	0	2	0	40-50	0	0	0
26	13	0	2	0	40-50	2	1	0
27	21	0	5	1	40-50			
28	6	0	1	0	40-50			
29	22	0	3	0	40-50			
30					40-50			

Westbound generally averaged 40-50 Auto, 2-3 Med trucks, and 3-4 Hvy trucks per a representative minute and had heaviest traffic.



SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

Reading: B

Project Description: 10226441 - BMCD US380 Spur399 SCH ENV

Noise Source: Airport Road Traffic Date: June 10, 2021 Personnel: RMB

Equipment	Type	Serial #
Sound Level Meter	Larson Davis	824A2636
Microphone/Preamplifier	Larson Davis 2541; PRM902	7490
Calibrator	Larson Davis CAL200	2618

SLM SETTINGS (circle one)

FAST

SLOW

WEIGHTING (circle one)


A

Lin.

Location Description: Location B – Airport Road

SITE SKETCH: Including noise source, receptors, reference distances, North arrow, wind direction arrow, terrain and shielding, roadway profile, and direct lines of sight:

SLM placed at fence line along Garcia Street, approximately 2/3 of the way south between evergreen trees as shown. Note, near lane of SB direction closed due to construction. Posted speed 45 mph. Traffic through construction zone perhaps 5 mph reduced from posted (negligible affect). Significant 'clap-clop' of tires between 8-10ft sections of concrete all of roadway.





Start Time:

9:16 AM PM

Stop Time:

9:46 AM PM

Duration:

30 minutes

Wind Speed/Direction: 7-12 S / SE

Percentiles: _____

Temperature: 82-88 F


Humidity: 65-80% RH

Calibration results before: _____ 114.1 dBA and after _____ 114.2 dBA

Traffic Count Roadway: Airport Road SB (Top Row) and NB (Bottom Row)

Autos	Medium Trucks	Heavy Trucks	Buses	Motorcycles
336	2	15		
190	17	1		

***Note roadway direction in table**





SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

PROJECT: 10226441 - BMCD US380 Spur399 SCH ENV

JOB NO.: 10226441

SITE/READING NO.: File 12

PERSONNEL: RMB

LOCATION/ADDRESS: Location B

DATE: 6/10/2021

#	1 Minute Period Starting	Meas'd Leq (dBA)	v or X	Other Noise Sources	COMMENTS
1	9:16:38	62.0			Dog barking
2	9:17:38	59.8			
3	9:18:38	60.2			
4	9:19:38	60.5			
5	9:20:38	63.1			
6	9:21:38	62.8			
7	9:22:38	65.3			
8	9:23:38	64.6			
9	9:24:38	59.8			
10	9:25:38	61.8			
11	9:26:38	63.6			
12	9:27:38	60.7			
13	9:28:38	61.3			
14	9:29:38	61.5	X		Dog barking (61 dBA)
15	9:30:38	63.8			
16	9:31:38	61.6			Dog barking
17	9:32:38	65.3			
18	9:33:38	63.9	X		Small plane, dog barking
19	9:34:38	65.6			
20	9:35:38	61.4			
21	9:36:38	64.6			
22	9:37:38	61.1	X		Construction noise – dragging signs
23	9:38:38	68.0			
24	9:39:38	66.2	X		Trailer rattle noise
25	9:40:38	62.7			
26	9:41:38	63.8			
27	9:42:38	61.7			
28	9:43:38	63.1			
29	9:44:38	62.9			
30	9:45:38	58.6			

TOTAL Leq = 63.3 dBA

SUBSET Leq =

v = Other sources contributed to Leq X = Exclude period - contaminated by non-characteristic sources

>> ADD SKETCH AND WEATHER CONDITIONS TO REVERSE OR OTHER SHEET <<



#	Southbound				Northbound			
	Auto	Med	Hvy	Motorcycle	Auto	Med	Hvy	Motorcycle
1	9	0	0	0	6	0	0	0
2	7	0	0	0	4	0	0	0
3	5	0	0	0	9	2	0	0
4	12	0	0	0	7	1	0	0
5	14	0	0	0	10	0	0	0
6	7	0	1	0	9	0	0	0
7	16	0	1	0	8	1	0	0
8	10	0	1	0	10	0	0	0
9	7	0	0	0	5	0	0	0
10	12	0	0	0	7	1	0	0
11	13	0	1	0	7	0	0	0
12	13	0	0	0	1	0	0	0
13	11	0	0	0	11	0	0	0
14	9	0	1	0	6	0	0	0
15	15	0	1	0	2	0	0	0
16	11	0	0	0	6	1	0	0
17	13	0	1	0	7	1	0	0
18	16	0	0	0	18	2	0	0
19	10	0	2	0	4	0	0	0
20	12	0	0	0	7	1	0	0
21	12	0	1	0	5	1	0	0
22	14	0	0	0	7	0	0	0
23	9	0	0	0	10	2	1	0
24	8	0	1	0	7	3	0	0
25	18	0	0	0	4	1	0	0
26	8	1	1	0	7	0	0	0
27	13	1	0	0	3	0	0	0
28	11	0	1	0	11	0	0	0
29	17	0	1	0	2	0	0	0
30	4	0	1	0	7	0	0	0



SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

Reading: C

Project Description: 10226441 - BMCD US380 Spur399 SCH ENV

Noise Source: Airport Road Traffic Date: June 10, 2021 Personnel: RMB

Equipment	Type	Serial #
Sound Level Meter	Larson Davis	824A2636
Microphone/Preamp	Larson Davis 2541; PRM902	7490
Calibrator	Larson Davis CAL200	2618

SLM SETTINGS (circle one)

FAST

SLOW

WEIGHTING (circle one)


A

Lin.

Location Description: Location C – Airport Road

SITE SKETCH: Including noise source, receptors, reference distances, North arrow, wind direction arrow, terrain and shielding, roadway profile, and direct lines of sight:

SLM placed near telephone pole along SB side of Enloe Road, ~65ft from nearest travel lane of Airport Road. Significant 'clop-clop' of tires between 8-10ft sections of concrete all of roadway.





Near lane of NB side of road closed for construction. Approximately 5-10 mph reduction from posted speed limit. SLM paused intermittently to avoid vehicles passby contributions on Enloe Road.

Start Time:

Stop Time:

Duration:

10:19 AM PM

10:49 AM PM

30 minutes

Wind Speed/Direction: 7-12 S / SE

Percentiles: _____

Temperature: 82-88 F


Humidity: 65-80% RH

Calibration results before: _____ 114.1 dBA and after _____ 114.2 dBA

Traffic Count Roadway: Airport Road SB (Top Row) and NB (Bottom Row)

Autos	Medium Trucks	Heavy Trucks	Buses	Motorcycles
255	7	27		1
226	18	8		0

***Note roadway direction in table**



**SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET**

PROJECT: 10226441 - BMCD US380 Spur399 SCH ENV

JOB NO.: 10226441

SITE/READING NO.: File 13

PERSONNEL: RMB

LOCATION/ADDRESS: Location C

DATE: 6/10/2021

#	1 Minute Period Starting	Meas'd Leq (dBA)	v or X	Other Noise Sources	COMMENTS
1	10:19:00	61.3			
2	10:20:00	50.5			
3	10:21:00	54.7			
4	10:22:00	63.3			
5	10:23:00	67.6			
6	10:24:00	70.3			
7	10:25:00	70.6			
8	10:26:00	61.5			Slight wind gust
9	10:27:00	68.9			
10	10:28:00	62.6			Distant small plane
11	10:29:00	63.0			
12	10:30:00	57.4			
13	10:31:00	61.9			Distant small plane
14	10:32:00	62.2			
15	10:33:00	65.9			
16	10:34:00	61.8			Slight wind gust
17	10:35:00	64.1	X		Vehicle back-up beeper
18	10:36:00	55.7			
19	10:37:00	70.1			
20	10:38:00	64.2			
21	10:39:00	66.1			
22	10:40:00	60.5			
23	10:41:00	53.5			
24	10:42:00	65.0			
25	10:43:00	69.0			Breeze
26	10:44:00	65.9			Horn
27	10:45:00	67.5			Breeze
28	10:46:00	64.7			
29	10:47:00	63.0			Breeze
30	10:48:00	64.9			Distant small plane, breeze

TOTAL Leq = 65.4 dBA

SUBSET Leq =

v = Other sources contributed to Leq X = Exclude period - contaminated by non-characteristic sources

>> ADD SKETCH AND WEATHER CONDITIONS TO REVERSE OR OTHER SHEET <<



#	Southbound				Northbound			
	Auto	Med	Hvy	Motorcycle	Auto	Med	Hvy	Motorcycle
1	0	0	0	0	9	5	2	0
2	0	0	0	0	2	1	0	0
3	8	0	0	0	5	1	0	0
4	11	0	4	0	8	1	1	0
5	10	0	3	0	6	0	0	0
6	19	0	3	0	?	0	0	0
7	6	0	1	0	9	3	1	0
8	10	0	2	0	1	0	0	0
9	9	0	0	0	7	0	1	0
10	4	0	0	0	4	0	1	0
11	8	0	1	0	2	1	0	0
12	2	0	1	0	7	0	0	0
13	16	0	0	0	8	0	0	0
14	8	2	0	0	4	0	0	0
15	13	2	0	0	2	0	0	0
16	1	0	0	0	4	1	0	0
17	12	0	3	0	6	0	1	0
18	8	0	2	0	6	0	0	0
19	3	0	0	0	6	1	0	0
20	0	0	0	0	8	0	0	0
21	0	0	1	0	3	0	0	0
22	17	0	2	0	10	1	0	0
23	12	1	2	1	7	0	0	0
24	20	0	0	0	3	1	0	0
25	11	2	0	0	8	0	0	0
26	4	0	0	0	8	1	0	0
27	20	0	0	0	10	0	1	0
28	6	0	1	0	7	0	0	0
29	12	0	0	0	10	1	0	0
30	5	0	1	0	6	0	0	0



SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

Reading: D

Project Description: 10226441 - BMCD US380 Spur399 SCH ENV

Noise Source: Background Noise Date: June 10, 2021 Personnel: RMB

Equipment	Type	Serial #
Sound Level Meter	Larson Davis	824A2636
Microphone/Preamp	Larson Davis 2541; PRM902	7490
Calibrator	Larson Davis CAL200	2618

SLM SETTINGS (circle one)

FAST

SLOW

WEIGHTING (circle one)


A

Lin.

Location Description: Location D – Enloe Road

SITE SKETCH: Including noise source, receptors, reference distances, North arrow, wind direction arrow, terrain and shielding, roadway profile, and direct lines of sight:

SLM placed along Enloe Road. This is a background noise measurement. SLM paused for any limited vehicle passby on Enloe Road.





Start Time:

11:15 AM PM

Stop Time:

11:45 AM PM

Duration:

30 minutes

Wind Speed/Direction: 7-12 S / SE

Percentiles: _____

Temperature: 82-88 F


Humidity: 65-80% RH

Calibration results before: _____ 114.1 dBA and after _____ 114.2 dBA

Traffic Count Roadway: N/A

Autos	Medium Trucks	Heavy Trucks	Buses	Motorcycles

***Note roadway direction in table**





SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

PROJECT: 10226441 - BMCD US380 Spur399 SCH ENV

JOB NO.: 10226441

SITE/READING NO.: File 14

PERSONNEL: RMB

LOCATION/ADDRESS: Location D

DATE: 6/10/2021

#	1 Minute Period Starting	Meas'd Leq (dBA)	v or X	Other Noise Sources	COMMENTS
1	11:15:53	43.2			Distant small plane
2	11:16:53	50.8			Birds, small plane takeoff
3	11:17:53	57.0			Small plane overflight, small plane takeoff
4	11:18:53	49.5			Distant small plane, small plane overflight
5	11:19:53	50.5			Small plane takeoff
6	11:20:53	51.2			Distant small plane, small plane overflight
7	11:21:53	53.3			Small plane takeoff, birds
8	11:22:53	51.0			Small plane takeoff, distant small plane
9	11:23:53	51.0			Small plane takeoff, small plane overflight
10	11:24:53	49.2			Helicopter
11	11:25:53	53.6			Helicopter, breeze
12	11:26:53	42.4			Distant small plane, breeze, birds
13	11:27:53	41.1			Birds, distant dog barking, distant small plane
14	11:28:53	44.0			Distant passenger jet
15	11:29:53	41.2			Birds, distant passenger jet
16	11:30:53	38.3			Distant vehicles, distant dog barking, birds
17	11:31:53	37.9			Distant traffic
18	11:32:53	41.3			Distant passenger jet
19	11:33:53	38.6			Breeze, distant dog barking
20	11:34:53	36.9			Birds, distant dog barking, distant passenger jet
21	11:35:53	37.3			Insects
22	11:36:53	37.5			Distant plane engine
23	11:37:53	36.6			Birds, distant traffic
24	11:38:53	38.4			Birds, distant dog barking
25	11:39:53	36.6			
26	11:40:53	39.8			Distant passenger jet, distant dog barking
27	11:41:53	39.7			Distant truck
28	11:42:53	38.9			Distant passenger jet
29	11:43:53	42.7			Distant passenger jet
30	11:44:53	40.4			Distant passenger jet

TOTAL Leq = 48.1 dBA

SUBSET Leq =

v = Other sources contributed to Leq X = Exclude period - contaminated by non-characteristic sources

>> ADD SKETCH AND WEATHER CONDITIONS TO REVERSE OR OTHER SHEET <<

Background noise floor in the upper 30 dBA range.



SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

Reading: E

Project Description: 10226441 - BMCD US380 Spur399 SCH ENV

Noise Source: FM 546 Traffic Date: June 10, 2021 Personnel: RMB

Equipment	Type	Serial #
Sound Level Meter	Larson Davis	824A2636
Microphone/Preamp	Larson Davis 2541; PRM902	7490
Calibrator	Larson Davis CAL200	2618

SLM SETTINGS (circle one)

FAST

SLOW

WEIGHTING (circle one)

A

Lin.

Location Description: Location E – FM 546 Traffic

SITE SKETCH: Including noise source, receptors, reference distances, North arrow, wind direction arrow, terrain and shielding, roadway profile, and direct lines of sight:

SLM placed stop sign ~28ft from edge of nearest travel lane. Posted speed 55 mph





Start Time:

4:07 AM **PM**

Stop Time:

4:37 AM **PM**

Duration:

30 minutes

Wind Speed/Direction: 7-12 S / SE

Percentiles: _____

Temperature: 82-88 F


Humidity: 65-80% RH

Calibration results before: _____ 114.1 dBA and after _____ 114.2 dBA

Traffic Count Roadway: FM 546 EB (Top Row) and WB (Bottom Row)

Autos	Medium Trucks	Heavy Trucks	Buses	Motorcycles
235	1	3		3
71	3	3		1

***Note roadway direction in table**





SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

PROJECT: 10226441 - BMCD US380 Spur399 SCH ENV

JOB NO.: 10226441

SITE/READING NO.: File 20

PERSONNEL: RMB

LOCATION/ADDRESS: Location E

DATE: 6/10/2021

#	1 Minute Period Starting	Meas'd Leq (dBA)	✓ or X	Other Noise Sources	COMMENTS
1	4:07:59	69.6			Small plane passby
2	4:08:59	72.3			Distant passenger jet, distant small plane
3	4:09:59	66.1			Distant small plane
4	4:10:59	70.6			Distant small planes
5	4:11:59	66.6			Distant small plane
6	4:12:59	70.5			Distant small plane
7	4:13:59	70.9			Small plane passby
8	4:14:59	72.2			Distant small planes
9	4:15:59	68.2			Distant small planes
10	4:16:59	64.3			Small plane passby
11	4:17:59	69.2			Distant small plane
12	4:18:59	67.8			Distant small plane
13	4:19:59	65.2			Distant small planes
14	4:20:59	73.3			Distant small planes
15	4:21:59	73.4			Distant small planes
16	4:22:59	66.5			Distant small planes
17	4:23:59	63.9			Distant small planes
18	4:24:59	72.8			
19	4:25:59	65.0			Small plane passby
20	4:26:59	70.4			Distant small plane, vehicle music
21	4:27:59	67.8			Distant small plane
22	4:28:59	69.2			Distant small plane
23	4:29:59	66.4			Small plane passby
24	4:30:59	70.9			Small plane passby
25	4:31:59	72.0			Distant small planes
26	4:32:59	67.2			Distant small planes
27	4:33:59	69.9			Small plane passby
28	4:34:59	70.8			Distant small planes
29	4:35:59	68.8			
30	4:36:59	68.9			Distant small planes

TOTAL Leq = 69.8 dBA

SUBSET Leq =

✓ = Other sources contributed to Leq X = Exclude period - contaminated by non-characteristic sources

>> ADD SKETCH AND WEATHER CONDITIONS TO REVERSE OR OTHER SHEET <<

Typically ambient ~ 50 dBA.



#	Eastbound				Westbound			
	Auto	Med	Hvy	Motorcycle	Auto	Med	Hvy	Motorcycle
1	9	0	0	0	0	0	0	0
2	8	0	0	0	3	0	1	0
3	6	0	0	0	3	0	0	0
4	2	0	0	0	3	0	1	1
5	4	0	0	0	2	0	0	0
6	7	0	0	0	4	1	0	0
7	5	0	0	0	1	0	0	0
8	7	0	1	0	6	1	0	0
9	10	0	0	0	0	0	0	0
10	4	0	0	0	0	0	0	0
11	12	0	0	1	0	0	0	0
12	7	0	0	0	1	0	0	0
13	4	0	0	0	4	0	0	0
14	10	0	0	1	5	0	0	0
15	15	0	1	0	4	0	0	0
16	5	0	0	0	3	0	0	0
17	4	0	0	0	1	0	0	0
18	20	0	0	0	2	0	0	0
19	1	0	0	0	1	0	0	0
20	12	0	0	1	2	0	0	0
21	9	0	0	0	1	0	0	0
22	15	0	0	0	1	0	0	0
23	5	0	0	0	3	0	0	0
24	5	1	1	0	3	0	0	0
25	7	0	0	0	3	0	1	0
26	7	0	0	0	2	0	0	0
27	13	0	0	0	1	0	0	0
28	9	0	0	0	2	0	0	0
29	7	0	0	0	3	1	0	0
30	6	0	0	0	7	0	0	0



SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

Reading: F

Project Description: 10226441 - BMCD US380 Spur399 SCH ENV

Noise Source: Background/FM 317 Traffic Date: June 10, 2021 Personnel: RMB

Equipment	Type	Serial #
Sound Level Meter	Larson Davis	824A2636
Microphone/Preamp	Larson Davis 2541; PRM902	7490
Calibrator	Larson Davis CAL200	2618

SLM SETTINGS (circle one)

FAST

SLOW

WEIGHTING (circle one)


A

Lin.

Location Description: Location F – Background/FM 317 Traffic

SITE SKETCH: Including noise source, receptors, reference distances, North arrow, wind direction arrow, terrain and shielding, roadway profile, and direct lines of sight:

SLM placed stop sign on Old Mill Road, approximately 50 from near lane of FM 317. SLM pause for very limited Old Mill Road traffic. Posted speed 35 mph.





Start Time:

12:12 AM PM

Stop Time:

12:42 AM PM

Duration:

30 minutes

Wind Speed/Direction: 7-12 S / SE

Percentiles: _____

Temperature: 82-88 F


Humidity: 65-80% RH

Calibration results before: _____ 114.1 dBA and after _____ 114.2 dBA

Traffic Count Roadway: FM 317 SB (Top Row) and NB (Bottom Row)

Autos	Medium Trucks	Heavy Trucks	Buses	Motorcycles
30	0	1		
14	0	1		

***Note roadway direction in table**



**SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET**

PROJECT: 10226441 - BMCD US380 Spur399 SCH ENV

JOB NO.: 10226441

SITE/READING NO.: File 15

PERSONNEL: RMB

LOCATION/ADDRESS: Location F

DATE: 6/10/2021

#	1 Minute Period Starting	Meas'd Leq (dBA)	✓ or X	Other Noise Sources	COMMENTS
1	12:12:27	61.4			Small plane passby, helicopter
2	12:13:27	59.6			Roosters, birds, barnyard animals, small plane passby
3	12:14:27	53.9			Small plane passby
4	12:15:27	40.9			Barnyard animals
5	12:16:27	60.5			Distant small planes
6	12:17:27	52.9			Distant misc. activity, barnyard animals
7	12:18:27	62.2			Small plane passby
8	12:19:27	59.7			Distant small plane, small plane passby
9	12:20:27	58.2			Distant small plane
10	12:21:27	43.3			Distant truck, distant small plane, birds
11	12:22:27	49.2			Distant small plane
12	12:23:27	40.4			Barnyard animals, small plane passby
13	12:24:27	62.1			Barnyard animals
14	12:25:27	41.6			
15	12:26:27	45.6			Small plane passby
16	12:27:27	51.7			Distant small plane
17	12:28:27	61.3			Small plane approach
18	12:29:27	61.3			Small plane passby
19	12:30:27	59.7			
20	12:31:27	52.2			
21	12:32:27	54.7			Distant small plane, birds
22	12:33:27	55.8			
23	12:34:27	52.9			Birds
24	12:35:27	55.9			Distant car engine start, birds
25	12:36:27	49.7			Birds
26	12:37:27	49.2			Birds chirping
27	12:38:27	54.6			Distant machine
28	12:39:27	44.3			Birds, barnyard animals
29	12:40:27	42.6			Small plane passby
30	12:41:27	45.8			Distant small plane

TOTAL Leq = 56.9 dBA

SUBSET Leq =

✓ = Other sources contributed to Leq X = Exclude period - contaminated by non-characteristic sources

>> ADD SKETCH AND WEATHER CONDITIONS TO REVERSE OR OTHER SHEET <<

Car passbys 67-68 dBA, small planes 70-74 dBA; 40 dBA low background level



#	Southbound				Northbound			
	Auto	Med	Hvy	Motorcycle	Auto	Med	Hvy	Motorcycle
1	3	0	0	0	1	0	0	0
2	1	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0
5	2	0	1	0	2	0	1	0
6	2	0	0	0	0	0	0	0
7	2	0	0	0	0	0	0	0
8	1	0	0	0	0	0	0	0
9	1	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0
12	2	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0
14	1	0	0	0	1	0	0	0
15	0	0	0	0	0	0	0	0
16	4	0	0	0	2	0	0	0
17	2	0	0	0	3	0	0	0
18	1	0	0	0	0	0	0	0
19	1	0	0	0	1	0	0	0
20	2	0	0	0	2	0	0	0
21	1	0	0	0	0	0	0	0
22	1	0	0	0	1	0	0	0
23	1	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0
25	1	0	0	0	0	0	0	0
26	0	0	0	0	1	0	0	0
27	0	0	0	0	0	0	0	0
28	1	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0	0



SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

Reading: G

Project Description: 10226441 - BMCD US380 Spur399 SCH ENV

Noise Source: Background Noise Date: June 10, 2021 Personnel: RMB

Equipment	Type	Serial #
Sound Level Meter	Larson Davis	824A2636
Microphone/Preamplifier	Larson Davis 2541; PRM902	7490
Calibrator	Larson Davis CAL200	2618

SLM SETTINGS (circle one)

FAST

SLOW

WEIGHTING (circle one)


A

Lin.

Location Description: Location G – Old Mill Road

SITE SKETCH: Including noise source, receptors, reference distances, North arrow, wind direction arrow, terrain and shielding, roadway profile, and direct lines of sight:

SLM placed along Old Mill Road. This is a background noise measurement. SLM paused for any limited vehicle passby on Old Mill Road.





Start Time:

3:21 AM **PM**

Stop Time:

3:51 AM **PM**

Duration:

30 minutes

Wind Speed/Direction: 7-12 S / SE

Percentiles: _____

Temperature: 82-88 F


Humidity: 65-80% RH

Calibration results before: _____ 114.1 dBA and after _____ 114.2 dBA

Traffic Count Roadway: N/A

Autos	Medium Trucks	Heavy Trucks	Buses	Motorcycles

***Note roadway direction in table**





SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

PROJECT: 10226441 - BMCD US380 Spur399 SCH ENV

JOB NO.: 10226441

SITE/READING NO.: File 19

PERSONNEL: RMB

LOCATION/ADDRESS: Location G

DATE: 6/10/2021

#	1 Minute Period Starting	Meas'd Leq (dBA)	v or X	Other Noise Sources	COMMENTS
1	3:21:06	41.4			Birds chirping, distant lawn mower
2	3:22:06	41.3			Breeze, distant small plane
3	3:23:06	48.9			Birds chirping, distant truck
4	3:24:06	41.4			Distant passenger jet, distant traffic, engine start
5	3:25:06	56.6			Small plane passby
6	3:27:06	51.0			Distant small planes, distant traffic, small plane passby
7	3:28:06	47.9			Distant small plane
8	3:29:06	43.2			Helicopter
9	3:30:06	56.2	X		Talking cyclist, small plane passby
10	3:31:06	55.8			Distant small planes, distant pickup truck backing/accel
11	3:32:06	54.3			Small plane passby
12	3:33:06	53.1			Distant heavy truck, distant small plane
13	3:34:06	41.3			Distant small plane
14	3:35:06	41.4			Distant small plane
15	3:37:06	45.8			Small plane passby
16	3:38:06	48.1			Small plane passby (71 dBA)
17	3:39:06	62.6			Small plane passby (2x)
18	3:40:06	57.7			Distant small plane
19	3:41:06	50.			Birds
20	3:42:06	45.1			Distant small plane
21	3:43:06	49.0			Birds, distant small planes
22	3:44:06	48.8			Distant traffic, distant passenger jet
23	3:45:06	41.9			Birds
24	3:46:06	45.6			Distant traffic
25	3:47:06	41.2			Small plane passby
26	3:48:06	47.1			Distant small plane
27	3:49:06	43.0			Distant traffic, distant small plane
28	3:50:06	40.9			Distant traffic, distant small plane, horn
29	3:51:06	42.4			Distant traffic, distant dog barking, distant passenger jet
30	3:52:05	42.7			Distant passenger jet, distant traffic, small plane passby

TOTAL Leq = 52.3 dBA

SUBSET Leq =

v = Other sources contributed to Leq X = Exclude period - contaminated by non-characteristic sources

>> ADD SKETCH AND WEATHER CONDITIONS TO REVERSE OR OTHER SHEET <<

Background noise floor in the upper 30 dBA range.



SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

Reading: H

Project Description: 10226441 - BMCD US380 Spur399 SCH ENV

Noise Source: TX 399/5 Traffic Date: June 10, 2021 Personnel: RMB

Equipment	Type	Serial #
Sound Level Meter	Larson Davis	824A2636
Microphone/Preamp	Larson Davis 2541; PRM902	7490
Calibrator	Larson Davis CAL200	2618

SLM SETTINGS (circle one)

FAST

SLOW

WEIGHTING (circle one)

A


Lin.

Location Description: Location H – TX 399/5 Traffic

SITE SKETCH: Including noise source, receptors, reference distances, North arrow, wind direction arrow, terrain and shielding, roadway profile, and direct lines of sight:

SLM placed ~30ft from shoulder ; 40-45ft from edge of nearest travel lane. Posted speed limit 55 mph.







Start Time:

2:35 AM PM

Stop Time:

3:05 AM PM

Duration:

30 minutes

Wind Speed/Direction: 7-12 S / SE

Percentiles: _____

Temperature: 82-88 F


Humidity: 65-80% RH

Calibration results before: _____ 114.1 dBA and after _____ 114.2 dBA

Traffic Count Roadway: TX-5/399 SB (Top Row) and NB (Bottom Row)

Autos	Medium Trucks	Heavy Trucks	Buses	Motorcycles
638	6	40	1	1
677	36	9		

***Note roadway direction in table**





SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

PROJECT: 10226441 - BMCD US380 Spur399 SCH ENV

JOB NO.: 10226441

SITE/READING NO.: File 18

PERSONNEL: RMB

LOCATION/ADDRESS: Location H

DATE: 6/10/2021

#	1 Minute Period Starting	Meas'd Leq (dBA)	✓ or X	Other Noise Sources	COMMENTS
1	2:34:48	67.7			
2	2:35:48	71.7			
3	2:36:48	73.6			
4	2:37:48	72.5			
5	2:38:48	69.1			
6	2:39:48	73.0			
7	2:40:48	69.0			
8	2:41:48	72.7			
9	2:42:48	73.2			
10	2:43:48	69.2			
11	2:44:48	74.4			
12	2:45:48	68.8			
13	2:46:48	74.4			
14	2:47:48	69.6			
15	2:48:48	69.5			
16	2:49:48	69.3			
17	2:50:48	68.5			
18	2:51:48	72.7			
19	2:52:48	69.9			
20	2:53:48	72.2			
21	2:54:48	72.4			
22	2:55:48	70.7			
23	2:56:48	72.5			
24	2:57:48	71.2			
25	2:58:48	72.9			
26	2:59:48	72.3			
27	3:00:48	69.8			
28	3:01:48	73.9			
29	3:02:48	75.1			
30	3:03:48	72.5			

TOTAL Leq = 71.9 dBA

SUBSET Leq =

✓ = Other sources contributed to Leq X = Exclude period - contaminated by non-characteristic sources

>> ADD SKETCH AND WEATHER CONDITIONS TO REVERSE OR OTHER SHEET <<



#	Southbound				Northbound			
	Auto	Med	Hvy	Motorcycle	Auto	Med	Hvy	Motorcycle
1	10	0	0	0	18	1	0	0
2	24	0	0	0	23	3	1	0
3	30	0	2	0	15	1	0	0
4	22	0	3	0	13	2	1	0
5	14	0	0	0	31	1	0	0
6	38	0	4	0	21	1	0	0
7	10	0	1	0	31	2	0	0
8	31	0	0	0	10	3	0	0
9	23	0	3	0	15	0	0	0
10	9	0	1	0	33	1	1	0
11	39	0	2	1	20	4	1	0
12	15	0	0	0	20	0	0	0
13	27	1	1	0	26	0	0	0
14	17	0	0	0	20	2	0	0
15	17	0	0	0	13	0	0	0
16	9	0	1	0	35	0	0	0
17	20	0	1	0	20	1	0	0
18	34	0	0	0	17	2	1	0
19	11	0	0	0	34	1	1	0
20	45	2	2	0	24	1	0	0
21	12	0	0	0	31	1	0	0
22	25	2	4	0	28	0	0	0
23	22	0	2	0	22	1	0	0
24	14	0	2	0	28	2	1	0
25	26	0	3	0	17	0	0	0
26	11	0	1	0	28	2	0	0
27	31	1	4	0	23	0	0	0
28	13	0	1	0	8	0	1	0
29	26	0	2	0	32	3	1	0
30	13	0	0	0	21	1	0	0

NB Traffic counts include merging traffic from Greenville Drive. 1 Bus at 19th minute SB.



SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET

Reading: I

Project Description: 10226441 - BMCD US380 Spur399 SCH ENV

Noise Source: TX 399/5 Traffic Date: June 10, 2021 Personnel: RMB

Equipment	Type	Serial #
Sound Level Meter	Larson Davis	824A2636
Microphone/Preamp	Larson Davis 2541; PRM902	7490
Calibrator	Larson Davis CAL200	2618

SLM SETTINGS (circle one)

FAST

SLOW

WEIGHTING (circle one)


A

Lin.

Location Description: Location I – TX 399 /5 Traffic

SITE SKETCH: Including noise source, receptors, reference distances, North arrow, wind direction arrow, terrain and shielding, roadway profile, and direct lines of sight:

SLM placed ~40ft from nearest travel lane of SB TX-399/5. Traffic influenced by signal light at Greenville Drive. Light cycle ~30s green / 30s red. Posted speed limit 55 mph.





Start Time:

1:49 AM PM

Stop Time:

2:19 AM PM

Duration:

30 minutes

Wind Speed/Direction: 7-12 S / SE

Percentiles: _____

Temperature: 82-88 F


Humidity: 65-80% RH

Calibration results before: _____ 114.1 dBA and after _____ 114.2 dBA

Traffic Count Roadway: TX-399/5 SB (Top Row) and NB (Bottom Row)

Autos	Medium Trucks	Heavy Trucks	Buses	Motorcycles
510	9	34		4
602	40	4		3

***Note roadway direction in table**



**SHORT-TERM TRAFFIC NOISE MONITORING LOG SHEET**

PROJECT: 10226441 - BMCD US380 Spur399 SCH ENV

JOB NO.: 10226441

SITE/READING NO.: File 16

PERSONNEL: RMB

LOCATION/ADDRESS: Location I

DATE: 6/10/2021

#	1 Minute Period Starting	Meas'd Leq (dBA)	✓ or X	Other Noise Sources	COMMENTS
1	1:49:00	76.3			
2	1:50:00	74.1			
3	1:51:00	74.3			
4	1:52:00	72.2			
5	1:53:00	72.9			Deceleration NB lanes
6	1:54:00	75.3			Stop / NB acceleration
7	1:55:00	73.0			NB stop
8	1:56:00	73.6			Distant small plane
9	1:57:00	75.0			NB stop / acceleration
10	1:58:00	74.5			
11	1:59:00	74.9			
12	2:00:00	74.2			
13	2:01:00	75.4			
14	2:02:00	75.3			
15	2:03:00	72.2			
16	2:04:00	76.1			
17	2:05:00	70.5			
18	2:06:00	74.2			
19	2:07:00	72.0			
20	2:08:00	75.2			
21	2:09:00	74.2			
22	2:10:00	75.7			
23	2:11:00	73.3			
24	2:12:00	73.9			
25	2:13:00	73.6			
26	2:14:00	74.0			
27	2:15:00	73.9			
28	2:16:00	76.5			
29	2:17:00	70.2			
30	2:18:00	74.6			

TOTAL Leq = 74.3 dBA

SUBSET Leq =

✓ = Other sources contributed to Leq X = Exclude period - contaminated by non-characteristic sources

>> ADD SKETCH AND WEATHER CONDITIONS TO REVERSE OR OTHER SHEET <<

Distant lawn equipment initial 5 minutes or so, but not significant noise contributions.



#	Southbound				Northbound			
	Auto	Med	Hvy	Motorcycle	Auto	Med	Hvy	Motorcycle
1	26	0	1	0	17	0	0	0
2	17	1	1	0	25	3	0	0
3	14	0	2	0	15	3	0	0
4	14	0	1	0	10	0	0	0
5	15	1	0	0	26	1	0	0
6	19	0	2	0	22	0	0	0
7	15	0	0	0	16	1	0	0
8	12	0	2	0	24	0	1	1
9	15	0	1	1	23	4	1	0
10	24	0	2	0	30	2	0	0
11	15	0	1	0	20	3	0	0
12	23	0	1	0	19	0	0	0
13	13	0	1	0	12	0	0	0
14	8	1	4	0	21	3	0	0
15	14	0	0	0	23	2	1	0
16	28	0	3	0	23	2	0	0
17	6	1	1	0	14	2	0	0
18	25	0	0	1	23	0	0	0
19	14	0	0	0	23	3	0	0
20	14	0	3	0	15	3	0	0
21	22	0	0	0	17	1	0	0
22	16	2	1	0	20	1	0	0
23	21	2	1	0	25	1	0	1
24	16	0	3	0	18	1	0	0
25	30	1	0	0	30	0	0	0
26	25	0	0	1	19	1	0	0
27	19	0	0	0	23	0	1	0
28	2	0	2	1	18	0	0	0
29	5	0	0	0	17	0	0	0
30	23	0	1	0	14	3	0	1

A validation study was performed in order to verify that the existing model accurately predicts existing traffic noise based on current conditions and to ensure that traffic noise is the main source of noise. Model validation compares field-collected sound level measurements to traffic noise levels calculated in an existing condition model that used field-collected traffic parameters.

Seven validation sites were selected along the project ROW (Figure 1). Field measurements were collected on June 10th, 2021 between 8 AM and 5 PM. The weather was mostly sunny and dry, with light winds less than 12 mph. During the measurements, traffic was free-flowing and traveling at a relatively constant speed.

A sound level meter was used to measure sound levels in dB(A) Leq. The sound level meter was positioned on a tripod with the microphone facing the roadway and set at a height of five feet. The measurement duration was 30 minutes. The meter was calibrated before measurements were taken and at the end of the day.

Concurrently with the sound level measurement, traffic was counted by personnel in the field to obtain traffic counts by vehicle classification (car, medium truck, and heavy truck). Because the noise modeling software uses a vehicle per hour input, vehicle counts for the 30-minute measurement interval were multiplied by two to convert the values to the hourly condition. Weather conditions, including temperature and wind speed/direction were obtained from published meteorological information. Field data sheets are included at the end of Attachment C.

The FHWA traffic noise modeling software (TNM 2.5) was used to calculate existing traffic noise levels at each validation location, based on the field-observed conditions. The validation model run(s) used the existing roadway parameters, observed hourly traffic counts, and observed speeds.

The traffic noise model validation results are shown in **Table 1**.

Table 1. Traffic Noise Levels dB(A) Leq

Location	Validation Site	Field-Measured Level dB(A) Leq	Modeled Level dB(A) Leq	Difference (+/-)	Validated?
A	US 380 University Drive	76.2	74.6	-1.6	Yes
B	Airport Road	63.2	62.6	-0.6	Yes
C	Airport Road	65.4	65.4	0.0	Yes
E	FM 546	69.8	71.7	1.9	Yes
F	FM 317	56.9	55.1	-1.8	Yes
H	TX 399/5	71.9	71.4	-0.5	Yes
I	TX 399/5	74.3	73.0	-1.3	Yes

Differences between the measured and model-calculated sound levels were within the +/- 3 dB(A) tolerance allowed by FHWA. Therefore, the existing noise model is considered validated for this project.

Additionally, background noise measurements were taken at two locations near Enloe Road and Old Mill Road, as listed in **Table 2** below. These measurements were performed the same day and under the same conditions as described for the traffic noise measurements above.

Table 2. Background Levels dB(A) Leq

Location	Validation Site	Field-Measured Level dB(A) Leq	Modeled Level dB(A) Leq	Difference (+/-)	Validated?
D	Enloe Road	48.1	----	N/A	N/A
G	Old Mill Road	52.0	----	N/A	N/A